



NOTES
1. ALL DIMENSIONS ARE EXPRESSED IN MILLIMETERS
2. THE ELEVATION 100.000 CORRESPONDS TO (HIGH POINT OF PAVING) AND IS EQUIVALENT +5.20m NAP
3. THE ROOF, THE WALLS AND ELEVATED FLOOR OF THE BUILDING SHALL PROVIDE TWO HOURS FIRE RESISTANCE
4. THE STAIRWELLS SHALL BE PROVIDED OF EMERGENCY LIGHTING.
5. CABLES CHANNEL LAYOUT IS INDICATIVE
6. THE COMPLETE SYSTEM INSULATION TO BE 160mm THICK
7. THE U--VALUE (MEASURE OF THE RATE OF HEAT LOSS THROUGH A MATERIAL) ARE WALLS: 0.27 W/M²K ROOFING: 0.24 W/M²K EXTERNAL PAVING/GROUND: PAVING: 0.24 W/M²K WINDOWS: 1.1 W/M²K, WITH MAX 0.4 SOLAR SHADING FACTOR
LEGEND


▲ ACCESS OPENING



SECTION 1-1



SECTION 2-2



Drawing No		DESCRIPTION				
		REFERENCE DRAWINGS				
2305-175-DW-2051-03-01		OPERATION CENTER - FINISHINGS & DOORS SCHEDULE				
2305-175-DW-2051-02-02		OPERATION CENTER - ELEVATIONS				
2305-175-DW-2051-01-02		OPERATION CENTER - ROOF PLAN				
2305-175-DW-2051-01-01		OPERATION CENTER - GROUND FLOOR				
6	30 OCT 2009	REVISED FOR CONSTRUCTION REVISED PER CLIENT REQUEST	C. PLACCO	P. LA MONTAGNA	A. FRATTINI	J. LOPEZ
5	14 OCT 2009	ISSUED FOR CONSTRUCTION REVISED AS SHOWN	C. LOPES	P. LA MONTAGNA	A. FRATTINI	J. LOPEZ
4	06 JULY 2009	ISSUED FOR CONSTRUCTION REVISED AS SHOWN	C. PLACCO	P. LA MONTAGNA	A. FRATTINI	A. GIOVANNI J. LOPEZ
3	05 MAY 2009	ISSUED FOR CONSTRUCTION REVISED AS SHOWN	C. PLACCO	P. LA MONTAGNA	A. FRATTINI	A. GIOVANNI J. LOPEZ
2	17 APR 2009	ISSUED FOR CONSTRUCTION	C. PLACCO	P. LA MONTAGNA	A. FRATTINI	A. GIOVANNI J. LOPEZ
1	26 NOV 2008	ISSUED FOR CONSTRUCTION	R. TANI	P. LA MONTAGNA	A. FRATTINI	A. GIOVANNI J. LOPEZ
0	25 SEP 2008	ISSUED FOR CONSTRUCTION	R. TANI	P. LA MONTAGNA	A. FRATTINI	A. GIOVANNI J. LOPEZ
A	25 AUG 2008	ISSUED FOR REVIEW	R. TANI	S. DE LUCA	A. FRATTINI	A. GIOVANNI J. LOPEZ
REV	DATE	DESCRIPTION	PREP	CHKD	APPR	AUTH

**NESTE OIL**

**Technip**  
TECHNIP ITALY S.p.A.

ROTTERDAM NEXBTL PLANT

OPERATION CENTER  
SECTIONS

SCALE							
Technip Drawing No							
1:100	2305	175	DW	20	51	02	1 of 2
Project	Unit	Doc.Type	Disc	Subj	Ser.No	Page	6 Rev.

NESTE-OIL Drawing No

-	
Cod Model	