OPMERKINGEN

1. LOCATIE VAN O2 EN CO2 OPSLAG TANKEN OP CA. 1 METER VAN DE GEVEL, VOLGENS DE PGS-9 REGULATIE.
2. BRANDSTOF OPSLAG VOOR DE NOODSTROOM VOORZIENING, 20 m3.
3. VUILCONTAINER.
4. SEPARATIE MET BESLAANDE HUURDER "SensiTech".

LEGENDA

- BRANDVEILIGHEIDSKAST (PGS-15 OPSLAG)
- ELEKTROTECHNISCHE INTALLATIES
- WERKTUIGKUNDIGE INTALLATIES
- VUILCONTAINER
- GASSEN OPSLAG ZUURSTOF & KOOLDIOXIDE
- ZUUR EN BASE IBC

REV	DATUM	DESCRIPTIE	TEK.	DES.	CHKD.	APPR.
G	25.APR.22	RE-ISSUED FOR CONCEPT	RKF	RKF	AST	WLN
F	03.MAR.22	RE-ISSUED FOR CONCEPT	RKF	MFN	AST	WLN
E	03.FEB.22	RE-ISSUED FOR CONCEPT	RKF	MFN	AST	WLN
D	20.JAN.22	RE-ISSUED FOR CONCEPT	RKF	MFN	AST	WLN
C	10.JAN.22	RE-ISSUED FOR CONCEPT	RKF	MFN	AST	WLN
B	21.DEC.21	RE-ISSUED FOR CONCEPT	THF	MFN	AST	WLN
A	26.NOV.21	ISSUED FOR CONCEPT	THF	MFN	AST	WLN

STATUS **CONCEPT**

CLIENT

Janssen PHARMACEUTICAL COMPANIES OF Johnson&Johnson

DPS

THIS DRAWING IS THE PROPERTY OF DPS AND SHALL NOT BE USED, REPRODUCED OR DISCLOSED TO ANYONE WITHOUT THE PRIOR WRITTEN PERMISSION OF DPS AND SHALL BE RETURNED UPON REQUEST.

PROJECT **POLLUX**

TITEL
BEGANE GROND
EL. +0.00m

PROJECT No.	A1 SCHAAL	DISCIPLINE
A21LE037	N/A	HVAC

CLIENT TEKENING NO.	TEKENING NO.	BLAD	REV
N/A	A21LE037-HE-601	1/1	G