

| Productnummer ID (SIPID) | Product name                                    | Cas nummer   | Compositie                                                                                                                                                                                                                                                                           | Gevaarcomponent | Pictogrammen CLP/GHS                                                                                     | Gevaarsaanduiding                                                 | Voorzorgsmaatregel | ADR Klasse | UN-Nummer | Verpakkingsgroep | CMR                                                                                                          | CMR indicatoren | Sev | Reach registratie     | Gevaarlijst     | Signalwoord         | Physical form            | Vapour pressure (Pa) | Temperature (°C) | Boiling Point (°C) | Dustiness | Gevaarklasse inademing          | Gevaarklasse huid lokaal | Gevaarklasse huid opname | Gevaarklasse ogen | Productie proces                           | Gebruik op locaties door risicooordelingen |                                        |
|--------------------------|-------------------------------------------------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|--------------------|------------|-----------|------------------|--------------------------------------------------------------------------------------------------------------|-----------------|-----|-----------------------|-----------------|---------------------|--------------------------|----------------------|------------------|--------------------|-----------|---------------------------------|--------------------------|--------------------------|-------------------|--------------------------------------------|--------------------------------------------|----------------------------------------|
| 1556657                  | Ammonia (Ammoniakwater 24,5%)                   | 1336-21-6    | Ammonium Hydroxide / 1336-21-6 / 25,00%                                                                                                                                                                                                                                              |                 | GH505 (Corrosive), GH507 (Harmful)                                                                       | H314, H335, H400, H411, H412                                      |                    | 3          | 2672      |                  |                                                                                                              |                 | 80  | 01-211348876-14       |                 | Danger              | Liquid                   | 47.000,0             | 20               |                    | D         | D                               | -                        | D                        |                   | Grondstof diverse productie; 25% oplossing | Laboratorium Maintankfarm                  |                                        |
| 1556635                  | Acrylonitril                                    |              | Acrylonitril / 107-13-1 / 100%                                                                                                                                                                                                                                                       | 107-13-1        | GH502 (Flammable), GH505 (Corrosive), GH506 (Toxic), GH508 (Health Hazard), GH509 (Environmental hazard) | H225, H301, H311, H315, H317, H318, H331, H335, H350, H361F, H411 |                    |            |           | CR               | Carcinogenic component: 107-13-1<br><br>Carcinogenic CLP proven: H350<br><br>Reprotoxic CLP suspected: H361F |                 |     |                       | Dutch SVHC list | Danger              | Liquid                   | 115.000,0            | 20               | 77                 | E         | E                               | E                        | E                        |                   | Productie 4 in 1 gebouw ICL-IP Terneuzen   |                                            |                                        |
| 1590614                  | Albaphos 8000                                   |              | benzotriacool / 95-14-7 / 1,00%                                                                                                                                                                                                                                                      | 95-14-7         |                                                                                                          |                                                                   |                    |            |           |                  |                                                                                                              |                 |     |                       |                 | RIVM-potential SVHC |                          | Liquid               | 10,0             | 20                 |           | -                               | -                        | -                        | B                 |                                            | Ecologie & Utilities                       |                                        |
| 1590574                  | FR-122P Powder                                  | 1195978-93-8 | Benzene, ethenyl-, polymer with 1,3 butadiene, brominated / 1195978-93-8 / 100%                                                                                                                                                                                                      |                 |                                                                                                          |                                                                   |                    |            |           |                  |                                                                                                              |                 |     |                       |                 |                     | Solid                    |                      |                  |                    | Fine dust | A                               | -                        | -                        | B                 | Product                                    | GBC Gebouw ICL-IP Terneuzen Packing        |                                        |
| 1592082                  | Nacel 16-99                                     |              | hexadecaan-1-ol / 36653-82-4 / 100%                                                                                                                                                                                                                                                  |                 |                                                                                                          |                                                                   |                    |            |           |                  |                                                                                                              |                 |     |                       |                 |                     | Solid                    |                      |                  |                    | Fine dust | A                               | -                        | -                        | B                 |                                            |                                            |                                        |
| 1592065                  | BR-205                                          |              | 1,3-Dioxolane, 2-(Bromo-methyl)-2-(2,4-Dichlorophenyl)-4-Propyl / 60207-89-8 / 92,00%                                                                                                                                                                                                |                 |                                                                                                          |                                                                   |                    |            |           |                  |                                                                                                              |                 |     |                       |                 |                     | Liquid                   | 2.300,0              | 20               |                    |           |                                 | -                        | -                        | B                 |                                            | Solids 5 gebouw                            |                                        |
| 1595496                  | FR-720                                          |              | Tetrabromobisphenol A-Bis (2,3-dibromopropyl ether) / 21850-44-2 / 93,00%                                                                                                                                                                                                            | 21850-44-2      |                                                                                                          |                                                                   |                    |            |           |                  |                                                                                                              |                 |     |                       |                 | Dutch SVHC list     |                          | Solid                |                  |                    |           | Granules/gran A s/flakes        | -                        | -                        | -                 | B                                          |                                            | ICL-IP Terneuzen                       |
| 1595489                  | Ferrocyl 8751                                   |              |                                                                                                                                                                                                                                                                                      |                 |                                                                                                          |                                                                   |                    |            |           |                  |                                                                                                              |                 |     |                       |                 |                     | Solid                    |                      |                  |                    |           | Solid granules/ A grains/flakes | -                        | -                        | -                 | B                                          |                                            |                                        |
| 1595538                  | KalSel (kaliumchloride FCC, FAO, WHO, ES08)     |              | Kaliumchloride (KCl) / 7447-40-7 / 100%                                                                                                                                                                                                                                              |                 |                                                                                                          |                                                                   |                    |            |           |                  |                                                                                                              |                 |     |                       |                 |                     | Solid                    |                      |                  |                    |           | Granules/ grams/flakes          | A                        | -                        | -                 | B                                          |                                            | ICL-IP Terneuzen                       |
| 1595474                  | Dipropylene Glycol Industrial                   | 25265-71-8   | dipropylene glycol / 25265-71-8 / 100%                                                                                                                                                                                                                                               |                 |                                                                                                          |                                                                   |                    |            |           |                  |                                                                                                              |                 |     |                       |                 |                     | Liquid                   | 1,3                  | 20               |                    |           | -                               | -                        | -                        | B                 | C-103 Blend                                | ICL-IP Terneuzen Laboratorium Packing      |                                        |
| 1615818                  | Dieselmotoremissies                             |              |                                                                                                                                                                                                                                                                                      |                 |                                                                                                          |                                                                   |                    |            |           |                  |                                                                                                              |                 |     |                       |                 |                     | Diesel exhaust emissions |                      |                  |                    | A         | -                               | -                        | -                        | B                 |                                            |                                            |                                        |
| 1630187                  | Sodium Formate 5 Grade                          |              | Natriumformaat / 141-53-7 / 97,00%                                                                                                                                                                                                                                                   |                 |                                                                                                          |                                                                   |                    |            |           |                  |                                                                                                              |                 |     |                       |                 |                     | Solid                    |                      |                  |                    |           | Granules/gran A s/flakes        | -                        | -                        | -                 | B                                          |                                            | ICL-IP Terneuzen Laboratorium Packing  |
| 1630185                  | Sodium Bromide                                  | 7647-15-6    | natrium bromide / 7647-15-6 / 99,50%                                                                                                                                                                                                                                                 |                 |                                                                                                          |                                                                   |                    |            |           |                  |                                                                                                              |                 |     |                       |                 |                     | Solid                    |                      |                  |                    |           | Granules/gran A s/flakes        | -                        | -                        | -                 | B                                          | Diverse processen                          | HBR Brander ICL-IP Terneuzen Productie |
| 1630175                  | FR-370                                          |              | Tris(3-Bromo-2,2(Bromomethyl)Propyl)Phosphate / 19186-97-1 / 98,00%                                                                                                                                                                                                                  |                 |                                                                                                          |                                                                   |                    |            |           |                  |                                                                                                              |                 |     |                       |                 |                     | Solid                    |                      |                  |                    |           | Fine dust                       | A                        | -                        | -                 | B                                          |                                            | 3. Standaarden Packing Productie       |
| 1630186                  | Salt, industrial grade                          |              | natriumchloride / 7647-14-5 / 100%                                                                                                                                                                                                                                                   |                 |                                                                                                          |                                                                   |                    |            |           |                  |                                                                                                              |                 |     |                       |                 |                     | Solid                    |                      |                  |                    |           | Granules/gran A s/flakes        | -                        | -                        | -                 | B                                          |                                            | ICL-IP Terneuzen                       |
| 1630141                  | Ureum                                           |              | Ureum / 57-13-6 / 100%                                                                                                                                                                                                                                                               |                 |                                                                                                          |                                                                   |                    |            |           |                  |                                                                                                              |                 |     |                       |                 |                     | Solid                    |                      |                  |                    |           | Fine dust                       | A                        | -                        | -                 | B                                          |                                            | Laboratorium Productie                 |
| 1632123                  | Castorolie Nr 1                                 | 8001-79-4    | Castor oil / 8001-79-4 / 100%                                                                                                                                                                                                                                                        |                 |                                                                                                          |                                                                   |                    |            |           |                  |                                                                                                              |                 |     |                       |                 |                     | Liquid                   | 100,0                | 20               |                    |           | -                               | -                        | -                        | B                 | polyol P25                                 | ICL-IP Terneuzen Laboratorium              |                                        |
| 1633302                  | CARBOWAX PES 200E                               |              | 1,2-ethaandiol / 107-21-1 / 1,00%<br>Diethyleenglycol / 111-46-6 / 4,00%<br>Polyethylene glycol / 25322-68-3 / 96,00%                                                                                                                                                                |                 |                                                                                                          |                                                                   |                    |            |           |                  |                                                                                                              |                 |     |                       |                 |                     | Liquid                   | 10,0                 | 20               |                    |           | -                               | -                        | -                        | B                 |                                            |                                            |                                        |
| 1633262                  | Cetylalcohol                                    |              | hexadecaan-1-ol / 36653-82-4 / 100%                                                                                                                                                                                                                                                  |                 | Not classified                                                                                           | None                                                              |                    |            |           |                  |                                                                                                              |                 |     |                       |                 |                     | Liquid                   | 100,0                | 20               | 320                |           | -                               | -                        | -                        | -                 | B                                          | Cetyl bromide                              | Laboratorium                           |
| 1633240                  | 3,10-Dihydro-9-oxa-phosphaphenanthrene 10 oxide |              | Dibenz[c,e][1,2]oxaphosphorin 6-oxide(bn-) / 35348-75-5 / 100%                                                                                                                                                                                                                       |                 |                                                                                                          |                                                                   |                    |            |           |                  |                                                                                                              |                 |     |                       |                 |                     | Solid                    |                      |                  |                    |           | Coarse dust                     | A                        | -                        | -                 | B                                          |                                            | GBC Gebouw Laboratorium                |
| 1639922                  | ALBAPHOS 8000                                   |              | benzotriacool / 95-14-7 / 1,00%                                                                                                                                                                                                                                                      | 95-14-7         |                                                                                                          |                                                                   |                    |            |           |                  |                                                                                                              |                 |     |                       |                 |                     | RIVM-potential SVHC      | Liquid               | 2.300,0          | 20                 |           | -                               | -                        | -                        | -                 | B                                          |                                            |                                        |
| 1639932                  | Ferrolin 8618 ES                                |              | Polysiloxanes in water                                                                                                                                                                                                                                                               |                 | nvt                                                                                                      | nvt                                                               |                    | nvt        | nvt       |                  |                                                                                                              |                 |     |                       |                 |                     | Liquid                   | 2.300,0              | 20               |                    |           |                                 | -                        | -                        | -                 | B                                          | Antifoam                                   | Ecologie & Utilities                   |
| 1639863                  | P-2200IM                                        |              | [(1-methylethylidene)bis(2,6-dibromo-4,1-phenylene)]oxymethylene]bisoxirane(2,2'-) / 3072-84-7 / 100%                                                                                                                                                                                |                 |                                                                                                          |                                                                   |                    |            |           |                  |                                                                                                              |                 |     |                       |                 |                     | Solid                    |                      |                  |                    |           | Coarse dust                     | A                        | -                        | -                 | B                                          |                                            | ICL-IP Terneuzen                       |
| 1639870                  | TEAB 50% in water                               |              | Tetraethylammonium bromide / 71-91-0 / 50,00%                                                                                                                                                                                                                                        |                 |                                                                                                          |                                                                   |                    |            |           |                  |                                                                                                              |                 |     |                       |                 |                     | Liquid                   | 2.300,0              | 20               |                    |           | -                               | -                        | -                        | -                 | B                                          |                                            | ICL-IP Terneuzen Solids 5 gebouw       |
| 1639935                  | Ferrolin 6211                                   |              |                                                                                                                                                                                                                                                                                      |                 | Not classified                                                                                           | None                                                              |                    |            |           |                  |                                                                                                              |                 |     |                       |                 |                     | Liquid                   | 2.300,0              | 20               |                    |           | -                               | -                        | -                        | -                 | B                                          | Utilities                                  | ICL-IP Terneuzen                       |
| 1639847                  | MERGINAT ES60                                   |              | Soybean oil, epoxidized / 8013-07-8 / 100%                                                                                                                                                                                                                                           |                 |                                                                                                          |                                                                   |                    |            |           |                  |                                                                                                              |                 |     |                       |                 |                     | Liquid                   | 2.300,0              | 20               |                    |           | -                               | -                        | -                        | -                 | B                                          |                                            |                                        |
| 1639931                  | Korrodex 700                                    |              |                                                                                                                                                                                                                                                                                      |                 |                                                                                                          |                                                                   |                    |            |           |                  |                                                                                                              |                 |     |                       |                 |                     | Liquid                   | 2.300,0              | 20               |                    |           | -                               | -                        | -                        | -                 | B                                          |                                            |                                        |
| 1639838                  | E.S. - Great T2N                                |              | 2-amino-ethanol / 141-43-5 / 5,00%<br>Alcohols, c9-11 ethoxylated, <2.5 eo / 68439-46-3 / 5,00%                                                                                                                                                                                      |                 | Not classified                                                                                           | None                                                              |                    |            |           |                  |                                                                                                              |                 |     |                       |                 |                     | Liquid                   | 0,0                  | 20               |                    |           | -                               | -                        | -                        | -                 | B                                          |                                            | HBR Brander                            |
| 1639934                  | Turbodisin D 100                                |              |                                                                                                                                                                                                                                                                                      |                 | Not classified                                                                                           | None                                                              |                    |            |           |                  |                                                                                                              |                 | nee |                       |                 |                     | Liquid                   | 2.300,0              | 20               |                    |           | -                               | -                        | -                        | -                 | B                                          | Utilities                                  | Ecologie & Utilities                   |
| 1639924                  | Turbodisin D 80                                 |              |                                                                                                                                                                                                                                                                                      |                 | nvt                                                                                                      | None                                                              |                    |            |           |                  |                                                                                                              |                 |     |                       |                 |                     | Liquid                   | 2.300,0              | 20               | 100                |           | -                               | -                        | -                        | -                 | B                                          | Koeltoren GBC                              |                                        |
| 1642437                  | NE Nitroethane                                  |              | Nitroethane / 79-24-3 / 98,00%                                                                                                                                                                                                                                                       | 79-24-3         | GH502 (Flammable), GH507 (Harmful), GH508 (Health Hazard)                                                | H302, H332                                                        |                    | 3          | 2842      | III              |                                                                                                              |                 |     |                       |                 | RIVM-potential SVHC | Warning                  | Liquid               | 2.080,0          | 20                 | 114       | B                               | -                        | -                        | -                 | B                                          |                                            | ICL-IP Terneuzen                       |
| 1642465                  | Aktiphos 8000                                   | 95-14-7      | benzotriacool / 95-14-7 / 5,00%                                                                                                                                                                                                                                                      | 95-14-7         | nvt                                                                                                      |                                                                   |                    |            |           |                  |                                                                                                              |                 | Nvt | 01-2119979079-20-xxxx |                 | RIVM-potential SVHC | Liquid                   | 2.300,0              | 20               |                    |           | -                               | -                        | -                        | -                 | B                                          | Koeltoren BRU, GBC                         |                                        |
| 1642440                  | ESTASOL (TM)                                    |              | Dimethyl adipate / 627-93-0 / 25,00%<br>Dimethyl glutarate / 1119-40-0 / 65,00%<br>Dimethyl succinate / 106-65-0 / 75,00%                                                                                                                                                            |                 | Not classified                                                                                           | None                                                              |                    |            |           |                  |                                                                                                              |                 |     |                       |                 |                     | Liquid                   | 8,0                  | 20               | 215                |           | -                               | -                        | -                        | -                 | B                                          | P25 / Additief                             | Productie                              |
| 1642423                  | Kaliumacetaat                                   | 127-08-2     | Kaliumacetaat / 127-08-2 / 100%                                                                                                                                                                                                                                                      |                 | Not classified                                                                                           | None                                                              |                    |            |           |                  |                                                                                                              |                 |     |                       |                 |                     | Solid                    |                      |                  |                    |           | Granules/gran A s/flakes        | -                        | -                        | -                 | B                                          | P25/P100                                   | 2. Reagents                            |
| 1642455                  | DReeM Polymer                                   |              |                                                                                                                                                                                                                                                                                      |                 | Not classified                                                                                           | None                                                              |                    |            |           |                  |                                                                                                              |                 |     |                       |                 |                     | Liquid                   | 2.300,0              | 20               |                    |           | -                               | -                        | -                        | -                 | B                                          | Stoomketel                                 | Ecologie & Utilities                   |
| 1652386                  | CARADOL MD30-09                                 | 52625-13-5   | D-Glucitol, propoxylated / 52625-13-5 / 100%                                                                                                                                                                                                                                         |                 | Not classified                                                                                           | None                                                              |                    |            |           |                  |                                                                                                              |                 |     |                       |                 |                     | Liquid                   | 2,0                  | 20               |                    |           | -                               | -                        | -                        | -                 | B                                          | MD30-09                                    |                                        |
| 1652438                  | NITRIC ACID 85 - 70%                            |              | salpeterminerale / 7697-37-2 / 70,00%                                                                                                                                                                                                                                                |                 | GH502 (Flammable), GH505 (Corrosive)                                                                     | H260, H314, H372, H373                                            |                    |            |           |                  |                                                                                                              |                 |     |                       |                 |                     |                          |                      |                  |                    |           | D                               | D                        | D                        | D                 |                                            | 3. Standaarden                             |                                        |
| 1652879                  | Shell Omala S2 G 220                            |              | Amines, C12-14-alkyl, reaction products with hexanol, phosphorus oxide (p205), phosphorus sulfide (p265) and propylene oxide / 91745-46-9 / 0,50%                                                                                                                                    |                 |                                                                                                          |                                                                   |                    |            |           |                  |                                                                                                              |                 |     |                       |                 |                     |                          |                      |                  |                    |           | -                               | -                        | -                        | -                 | B                                          |                                            | Technische Dienst                      |
| 1652881                  | Shell Omala S2 G 680                            |              | Amines, C12-14-alkyl, reaction products with hexanol, phosphorus oxide (p205), phosphorus sulfide (p265) and propylene oxide / 91745-46-9 / 0,50%<br>Amines, C12-14-tert-alkyl / 68955-53-3 / 0,10%<br>Interchangeable low viscosity base oil (<20,5 cSt @40°C) * / 00-00-0 / 90,00% |                 |                                                                                                          |                                                                   |                    |            |           |                  |                                                                                                              |                 |     |                       |                 |                     |                          |                      |                  |                    |           | -                               | -                        | -                        | -                 | B                                          |                                            | Technische Dienst                      |
| 1652869                  | Shell = 15W-40                                  |              | Amines, polyeth                                                                                                                                                                                                                                                                      |                 |                                                                                                          |                                                                   |                    |            |           |                  |                                                                                                              |                 |     |                       |                 |                     |                          |                      |                  |                    |           |                                 |                          |                          |                   |                                            |                                            |                                        |

| Mofonmanager ID (SIPID) | Product name                                                                                                        | Cas number | Composition                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Gevaarcomponent                                               | Gevaar pictogrammen CLP/GHS                                      | Gevaar aanduiding                                                | Voorzorgmaatregel            | ADR Klasse                                                                                       | UN-Nummer | Verpakkingsgroep | CMR indicatoren | Sev                                | Reach registratie                                                | Gevaarlijst | Signaalwoord                          | Physical form                         | Vapour pressure (Pa) | Temperature (°C) | Boiling Point (°C) | Dustiness                    | Gevaarklasse inademing | Gevaarklasse huid lokaal | Gevaarklasse huid opname/ogen | Productie proces  | Gebruik op locaties door risico beoordelingen |                   |                   |
|-------------------------|---------------------------------------------------------------------------------------------------------------------|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|------------------------------------------------------------------|------------------------------------------------------------------|------------------------------|--------------------------------------------------------------------------------------------------|-----------|------------------|-----------------|------------------------------------|------------------------------------------------------------------|-------------|---------------------------------------|---------------------------------------|----------------------|------------------|--------------------|------------------------------|------------------------|--------------------------|-------------------------------|-------------------|-----------------------------------------------|-------------------|-------------------|
| 1654210                 | FlexSolv™ DBC® esters                                                                                               |            | Dimethyl adipate / 627-93-0 / 50,00%                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                               |                                                                  |                                                                  |                              | Not classified                                                                                   |           | None             |                 |                                    | 01-2119475445-32-0002                                            |             |                                       | Liquid                                | 27,0                 | 20               |                    |                              | -                      | -                        | B                             |                   |                                               |                   |                   |
| 1654221                 | Trimethyl hexamethylene diamine                                                                                     |            | 2,2,4(tri-2,4,4)-trimethylhexane-1,6-diamine / 25513-64-8 / 100%                                                                                                                                                                                                                                                                                                                                                                                                     |                                                               | GH505 (Corrosive), GH507 (Harmful), GH509 (Environmental hazard) | H314, H317, H362                                                 |                              |                                                                                                  |           |                  | R               | Reprotoxic CLP proven: H362        |                                                                  |             | Danger                                | Liquid                                | 2.300,0              | 20               |                    | D                            | D                      | D                        | D                             |                   |                                               |                   |                   |
| 3286631                 | 1,6-Hexandiol rein fluësiig                                                                                         |            | hexaan-1,6-diol / 629-11-8 / 100%                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                               |                                                                  |                                                                  |                              |                                                                                                  |           |                  |                 |                                    |                                                                  |             |                                       | Liquid                                | 0,0                  | 20               |                    | -                            | -                      | -                        | B                             | ICLP Terneuzen    |                                               |                   |                   |
| 6532409                 | Loctite EF 557 100M AERO know as M4557.100 12IN x24IN / SF                                                          |            | (diglycidylamino)phenyl glycidyl ether (4-3) / 5026-74-4 / 10,00%<br>608-216-2 / 14808-60-7 / 1,00%<br>Formaldehyde, polymer with 3-chloro-1-propene and phenol / 28470-78-2 / 5,00%<br>Glass, oxides, chemicals / 65997-17-3 / 5,00%<br>Kalksteen / 1317-65-3 / 10,00%<br>Oxydi(benzensulphonohydraal de)(4,4'-3) / 80-51-3 / 5,00%                                                                                                                                 | 5026-74-4                                                     |                                                                  |                                                                  |                              |                                                                                                  |           |                  | C               | Carcinogenic component: 14808-60-7 |                                                                  |             | NVM-potential SVHC                    |                                       | Liquid               | 2.400,0          | 20                 |                              | -                      | -                        | -                             | B                 | Technische Dienst                             |                   |                   |
| 6532400                 | Interflon Fin Grease MP 2/3                                                                                         |            | Mixture of mineral and synthetic oil, lithium complex thickener, teflon and additives / 90-00-0 / 100%                                                                                                                                                                                                                                                                                                                                                               |                                                               |                                                                  |                                                                  |                              | Not classified                                                                                   |           | None             |                 |                                    |                                                                  |             |                                       | Solid                                 |                      |                  |                    | Solid granules/grains/flakes | A                      | -                        | -                             | B                 | TD                                            | Technische Dienst |                   |
| 6532374                 | Shell Omala S2 G 150                                                                                                |            | Amines, C12-14-alkyl, reaction products with hexanol, phosphorus oxide (p205), phosphorus sulfide (p255) and propylene oxide / 91745-46-9 / 0,30%                                                                                                                                                                                                                                                                                                                    |                                                               |                                                                  |                                                                  |                              |                                                                                                  |           |                  |                 |                                    |                                                                  |             |                                       | Liquid                                | 0,5                  | 20               |                    | -                            | -                      | -                        | B                             | Technische Dienst |                                               |                   |                   |
| 6532373                 | Shell Tellus Oil 32                                                                                                 |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                               |                                                                  |                                                                  |                              |                                                                                                  |           |                  |                 |                                    |                                                                  |             |                                       | Liquid                                | 0,5                  | 20               |                    | -                            | -                      | -                        | B                             | Technische Dienst |                                               |                   |                   |
| 6532397                 | Shell Gadus S2 V220 2                                                                                               |            | Naphthenic acids / 1338-24-5 / 0,30%                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                               |                                                                  |                                                                  |                              | Not classified                                                                                   |           | None             |                 |                                    |                                                                  |             |                                       | Liquid                                | 31,0                 | 20               |                    | -                            | -                      | -                        | B                             | TD                | Technische Dienst                             |                   |                   |
| 6532428                 | LOCTITE SI 5926 BL LOCTITE SI 5926 BL known as Loctite 5926 Blue_100ml Fr/NL known as Loctite 5926 Blue_100ml Fr/NL |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                               |                                                                  |                                                                  |                              |                                                                                                  |           |                  |                 |                                    |                                                                  |             |                                       | Solid                                 |                      |                  |                    | Objects                      | A                      | -                        | -                             | B                 | Technische Dienst                             |                   |                   |
| 6532375                 | Shell Tellus S2 M 68                                                                                                |            | Interchangeable low viscosity base oil (c20,5 cst @40°C) * / 90-00-0 / 50,00%                                                                                                                                                                                                                                                                                                                                                                                        |                                                               |                                                                  |                                                                  |                              |                                                                                                  |           |                  |                 |                                    |                                                                  |             |                                       | Liquid                                | 0,5                  | 20               |                    | -                            | -                      | -                        | B                             | Technische Dienst |                                               |                   |                   |
| 6532391                 | Shell Gadus S2 O8 50                                                                                                |            | Amines, C12-14-alkyl, reaction products with hexanol, phosphorus oxide (p205), phosphorus sulfide (p255) and propylene oxide / 91745-46-9 / 2,50%                                                                                                                                                                                                                                                                                                                    |                                                               |                                                                  |                                                                  |                              | Not classified                                                                                   |           | None             |                 |                                    |                                                                  |             |                                       | Liquid                                | 0,5                  | 20               |                    | -                            | -                      | -                        | B                             | TD                | Technische Dienst                             |                   |                   |
| 6532509                 | Metaflux 70-39 Metaflux Anti-roest wax spray                                                                        |            | Polysulfides, di-tert-butyl / 69937-96-2 / 5,00%<br>Butaan (bevatend = 0,1 % butadieen (203-450-8)) / 106-97-8 / 50,00%<br>Hexaan(n-) / 110-54-3 / 2,50%<br>Isobutaan (bevatend = 0,1 % butadieen (203-450-8)) / 75-28-5 / 10,00%<br>Naphtha (petroleum), hydrotreated heavy / 64742-48-9 / 10,00%<br>Naphtha (petroleum), hydrotreated light / 64742-49-0 / 25,00%<br>Propan- / 74-98-6 / 25,00%<br>Solvent naphtha (petroleum), medium aliph. / 64742-88-7 / 2,50% | 106-97-8;64742-48-9;64742-49-0;64742-82-1;75-28-5<br>110-54-3 | GH502 (Flammable)                                                | H224, H412, H336                                                 |                              |                                                                                                  |           |                  | R               | Reprotoxic component: 110-54-3     |                                                                  |             | Dutch SVHC list<br>NVM-potential SVHC |                                       | Liquid               | 50.000,0         | 20                 |                              | A                      | -                        | A                             | B                 | Technische Dienst                             |                   |                   |
| 6532515                 | MOLYKOTE(R) CU-7437 PLUS PASTE                                                                                      |            | Witkoksulfoalkuna-1 / 64742-82-1 / 10,00%<br>2-(heptadecenyl)-2-oxazoline-4,4-dimethanol / 28984-69-2 / 3,00%<br>Butene, homopolymer (products derived from either/or but-1-ene/but-2-ene) / 9003-29-6 / 5,00%<br>Koper / 7440-50-8 / 11,00%<br>Residual oils (petroleum), solvent-dewaxed / 64742-62-7 / 74,00%                                                                                                                                                     | 64742-62-7                                                    |                                                                  |                                                                  |                              |                                                                                                  |           |                  |                 |                                    |                                                                  |             | Dutch SVHC list                       |                                       | Liquid               | 10,0             | 20                 |                              | -                      | -                        | -                             | B                 | Technische Dienst                             |                   |                   |
| 6532686                 | MOLYKOTE(R) HSC PLUS                                                                                                |            | Butene, homopolymer (products derived from either/or but-1-ene/but-2-ene) / 9003-29-6 / 11,00%<br>Distillates (petroleum), solvent-dewaxed heavy paraffinic / 64742-65-0 / 17,00%<br>Distillates (petroleum), solvent-dewaxed light paraffinic / 64742-56-9 / 17,00%<br>Koper / 7440-50-8 / 22,00%<br>Olie, nevel / 8012-95-1 / 20,00%                                                                                                                               | 64742-56-9;64742-65-0                                         |                                                                  |                                                                  |                              |                                                                                                  |           |                  |                 |                                    |                                                                  |             | Dutch SVHC list                       |                                       | Liquid               | 10,0             | 20                 |                              | -                      | -                        | -                             | B                 | Technische Dienst                             |                   |                   |
| 6532677                 | MOLYKOTE(R) P-37 ANTISEIZE PASTE                                                                                    |            | Butene, homopolymer (products derived from either/or but-1-ene/but-2-ene) / 9003-29-6 / 6,00%<br>Calciumhydride / 1305-62-0 / 15,00%<br>Distillates (petroleum), hydrotreated middle / 8042-47-5 / 43,00%                                                                                                                                                                                                                                                            |                                                               |                                                                  |                                                                  |                              |                                                                                                  |           |                  |                 |                                    |                                                                  |             |                                       | Liquid                                | 9,0                  | 20               |                    | -                            | -                      | -                        | B                             | Technische Dienst |                                               |                   |                   |
| 6532689                 | MOLYKOTE(R) 111 COMPOUND                                                                                            |            | Silicone Grease / 00-00-0 / 100%                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                               |                                                                  |                                                                  |                              |                                                                                                  |           |                  |                 |                                    |                                                                  |             |                                       | Other                                 |                      |                  |                    |                              |                        |                          | B                             |                   |                                               |                   |                   |
| 6532870                 | DORMER Schneidol M200 Nr.2                                                                                          |            | Distillates (petroleum), solvent-refined light paraffinic / 64741-89-5 / 100%                                                                                                                                                                                                                                                                                                                                                                                        | 64741-89-5                                                    |                                                                  | H304                                                             |                              | Not classified                                                                                   |           | None             |                 |                                    |                                                                  |             | Dutch SVHC list                       | Liquid                                | 2.300,0              | 20               |                    | A                            | -                      | -                        | B                             | TD                | Technische Dienst                             |                   |                   |
| 6532872                 | DORMER Schneidol M200 Nr.3                                                                                          |            | Distillates (petroleum), hydrotreated middle / 72623-86-0 / 25,00%<br>Distillates (petroleum), solvent-refined light paraffinic / 64741-89-5 / 100%                                                                                                                                                                                                                                                                                                                  | 64741-89-5;72623-86-0                                         |                                                                  | H304                                                             |                              | Not classified                                                                                   |           | None             |                 |                                    |                                                                  |             | Dutch SVHC list                       | Liquid                                | 10,0                 | 20               |                    | A                            | -                      | -                        | B                             | TD                | Technische Dienst                             |                   |                   |
| 6533076                 | CO Contact Cleaner                                                                                                  |            | Dimethylbutaan(2,2-) / 75-83-2 / 0,20%<br>Hexaan(n-) / 110-54-3 / 5,00%<br>Koolstofdioxide / 124-38-9 / 10,00%<br>Methylpentaan(2-) / 107-83-5 / 0,20%<br>Naphtha (petroleum), hydrotreated light / 64742-49-0 / 60,00%                                                                                                                                                                                                                                              | 64742-49-0<br>110-54-3                                        |                                                                  |                                                                  |                              | 2                                                                                                | 1950      | None             | R               | Reprotoxic component: 110-54-3     |                                                                  |             | Dutch SVHC list<br>NVM-potential SVHC |                                       | Liquid               | 355.830,0        | 20                 | 123                          | -                      | -                        | -                             | B                 | TD                                            | Technische Dienst |                   |
| 6533162                 | Tangit PE/PP/PB/PVDF Special Cleanser                                                                               |            | Ethanol / 64-17-5 / 90,00%                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                               |                                                                  | GH502 (Flammable)                                                | H224                         |                                                                                                  |           |                  |                 | CR                                 | Carcinogenic component: 64-17-5<br>Reprotoxic component: 64-17-5 |             |                                       | Liquid                                | 5.800,0              | 20               |                    | A                            | -                      | -                        | B                             |                   | Technische Dienst                             |                   |                   |
| 6533171                 | Professional Dreff Handafwasemide                                                                                   |            | Alcohols, C10-16, ethoxylated, sulfates, sodium salts / 68585-34-2 / 20,00%<br>Amines, C10-16-alkyldimethyl-, n-oxides / 70592-80-2 / 5,00%<br>Butoxy-2-propanol(1-) / 5131-66-8 / 1,00%                                                                                                                                                                                                                                                                             |                                                               |                                                                  | GH507 (Harmful), GH509 (Environmental hazard)                    | H315, H318, H400             | Not classified                                                                                   |           | None             |                 |                                    |                                                                  |             |                                       | Liquid                                | 2.300,0              | 20               |                    | C                            | B                      | -                        | D                             | TD                | HBr Brander                                   |                   |                   |
| 6533169                 | Glassex Glas & Meer                                                                                                 |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                               |                                                                  |                                                                  |                              | Not classified                                                                                   |           | None             |                 |                                    |                                                                  |             |                                       | Liquid                                | 2.400,0              | 20               |                    | -                            | -                      | -                        | B                             | TD                | Technische Dienst                             |                   |                   |
| 6548727                 | Handgel gemaakt door ICLIP                                                                                          |            | Glycerol / 56-81-5 / 1,80%<br>Propanol(2-) / 67-63-0 / 93,00%<br>Waterstofperoxide / 7722-84-1 / 5,20%                                                                                                                                                                                                                                                                                                                                                               |                                                               |                                                                  |                                                                  |                              |                                                                                                  |           |                  |                 |                                    |                                                                  |             |                                       | Liquid                                | 4.260,0              | 20               |                    | -                            | -                      | -                        | B                             |                   |                                               |                   |                   |
| 6549469                 | Werkkrullen (geen msds)                                                                                             | 7469-89-6  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                               |                                                                  |                                                                  | H228, H251                   |                                                                                                  |           |                  |                 |                                    |                                                                  |             |                                       | Abrasive activities - Metal           |                      |                  |                    |                              | A                      | -                        | -                             | B                 | HBr-proces                                    |                   |                   |
| 6694123                 | Azijsuur 100%, for analysis                                                                                         | 64-19-7    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                               |                                                                  | GH502 (Flammable), GH505 (Corrosive)                             | H226, H314                   | 8                                                                                                | 2789      | 2                |                 | 83                                 | 01-2119475328-30-XXXX                                            |             |                                       | Liquid                                | 15.200,0             | 20               | 118                | -                            | -                      | -                        | B                             | Lab               |                                               |                   |                   |
| 6533136                 | WD-40 multi-use product (aerosol)                                                                                   |            | Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics / 00-00-0 / 80,00%<br>Koolstofdioxide / 124-38-9 / 5,00%                                                                                                                                                                                                                                                                                                                                        |                                                               |                                                                  | GH502 (Flammable), GH507 (Harmful)                               | H222, H229, H336             | P101, P102, P210, P211, P251, P261, P271, P301+P310, P301+P330+P331, P312, P405, P410+P412, P501 |           |                  |                 |                                    |                                                                  |             | Danger                                | Liquid                                | 720.000,0            | 20               |                    | B                            | -                      | -                        | B                             | Technische Dienst |                                               |                   |                   |
| 6533173                 | GRIFFON LUMSPRAY AER 500ML*12 L221                                                                                  |            | Cyclohexaan / 110-82-7 / 1,00%<br>Dimethylether / 115-10-6 / 50,00%<br>Hexaan(n-) / 110-54-3 / 2,50%<br>Hydrocarbons, C6, isoalkanes, <5% n-hexane / 00-00-0 / 25,00%<br>Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane / 00-00-0 / 2,50%<br>Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics / 00-00-0 / 50,00%<br>Phenol, 4-methyl-, reaction products with cyclopentadiene and isobutylene / 68610-51-5 / 1,00%                                           | 110-54-3;68610-51-5                                           |                                                                  | GH502 (Flammable), GH507 (Harmful), GH509 (Environmental hazard) | H222, H225, H315, H336, H411 | P101, P102, P210, P211, P251, P261, P273, P301, P410+P412, P501                                  | 2         | 1950             | None            | R                                  | Reprotoxic component: 110-54-3                                   |             |                                       | NVM-potential SVHC                    | Danger               | Liquid           | 520.000,0          | 20                           |                        | B                        | B                             | -                 | C                                             | TD                | Technische Dienst |
| 6532491                 | Griffon Silicone Spray Aer 300ML*12 L221                                                                            |            | Butaan (bevatend = 0,1 % butadieen (203-450-8)) / 106-97-8 / 50,00%<br>Cyclohexaan / 110-82-7 / 1,00%<br>Hexaan(n-) / 110-54-3 / 1,00%<br>Isobutaan (bevatend = 0,1 % butadieen (203-450-8)) / 75-28-5 / 10,00%<br>Naphtha (petroleum), hydrotreated heavy / 64742-48-9 / 25,00%<br>Naphtha (petroleum), hydrotreated light / 64742-49-0 / 10,00%<br>Pentaan(n-) / 109-66-0 / 10,00%                                                                                 | 106-97-8;64742-48-9;64742-49-0;75-28-5<br>110-54-3            |                                                                  | GH502 (Flammable), GH507 (Harmful)                               | H222, H225, H315, H336, H412 | P101, P102, P210, P211, P251, P261, P410+P412, P501                                              | 2         | 1950             | None            | R                                  | Reprotoxic component: 110-54-3                                   |             |                                       | Dutch SVHC list<br>NVM-potential SVHC | Danger               | Liquid           | 830.000,0          | 20                           |                        | B                        | B                             | -                 | C                                             | TD                | Technische Dienst |
| 6533159                 | BISON PROF LUMSPRAY AER 500ML*12 NL                                                                                 |            | Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane / 00-00-0 / 2,50%<br>Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics / 00-00-0 / 50,00%<br>Phenol, 4-methyl-, reaction products with cyclopentadiene and isobutylene / 68610-51-5 / 1,00%                                                                                                                                                                                                                    | 110-54-3;68610-51-5                                           |                                                                  | GH502 (Flammable), GH507 (Harmful), GH509 (Environmental hazard) | H222, H225, H315, H336, H411 | P101, P102, P210, P211, P251, P261, P410+P412, P501                                              | 2         | 1950             |                 | R                                  | Reprotoxic component: 110-54-3                                   |             |                                       | NVM-potential SVHC                    | Danger               | Liquid           | 520.000,0          | 20                           |                        | B                        | B                             | -                 | C                                             | TD                | Technische Dienst |
| 6532480                 | Griffon PTFE Spray Aer 300ML*12 L221                                                                                |            | Butaan (bevatend = 0,1 % butadieen (203-450-8)) / 106-97-8 / 50,00%<br>Distillates (petroleum), hydrotreated middle / 72623-86-0 / 100%<br>Isobutaan (bevatend = 0,1 % butadieen (203-450-8)) / 75-28-5 / 2,50%<br>Propan- / 74-98-6 / 10,00%                                                                                                                                                                                                                        | 106-97-8;72623-86-0;75-28-5                                   |                                                                  | GH502 (Flammable)                                                | H222, H229                   | P101, P102, P210, P211, P251, P261, P410+P412                                                    | 2         | 1950             | None            |                                    |                                                                  |             | Dutch SVHC list                       | Danger                                | Liquid               | 210.000,0        | 20                 |                              | -                      | -                        | -                             | B                 | TD                                            | Technische Dienst |                   |

| Materialnummer ID (SIPID) | Product name                                               | Cas nummer              | Compositie                                                                                                                                                                                                                                                                                                                                                                           | Gevaarcomponent            | Gevaar pictogrammen CLP/GHS                                                                                | Gevaarsaanduiding                                            | Voorsorgmaatregel                                                                                                                                                                                                                 | ADR-Klasse     | UN-Nummer | Verpakkingsgroep | CMR | CMR indicatoren                                                                                                                                                                                | Sev                                                                  | Reach registratie | Gevaarlijst                | Signalwoord        | Physical form | Vapour pressure (Pa) | Temperature (°C) | Boiling Point (°C) | Dustiness | Gevaarsklasse-inademing       | Gevaarsklasse-huid/okaal | Gevaarsklasse-huid opname | Gevaarsklasse-ogen | Productie proces | Gebruik op locaties door risico-beoordelingen |                              |
|---------------------------|------------------------------------------------------------|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-----------|------------------|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|-------------------|----------------------------|--------------------|---------------|----------------------|------------------|--------------------|-----------|-------------------------------|--------------------------|---------------------------|--------------------|------------------|-----------------------------------------------|------------------------------|
| 6532497                   | Griffon GR-95 BOT 3L*9 NIFR                                |                         | Aceton / 67-64-1 / 25,00%<br>Butanon(2-) / 78-93-3 / 50,00%<br>Ethyl acetate / 141-78-6 / 50,00%                                                                                                                                                                                                                                                                                     | 78-93-3                    | GH502 (Flammable), GH507 (Harmful)                                                                         | EUM066, H225, H319, H336                                     | P101, P102, P210, P261, P370+P378, P403+P233, P501                                                                                                                                                                                | 3              | 1133      | II               |     |                                                                                                                                                                                                |                                                                      |                   | RVM-potential SVHC         | Danger             | Liquid        | 23.300,0             | 20               | 56                 |           | B                             | A                        | -                         | C                  | TD               | Technische Dienst                             |                              |
| 6533070                   | MOTIP REMMENREINIGER                                       |                         | Koolstofdioxide / 124-38-9 / 10,00%<br>Naphtha (petroleum), hydrotreated light / 64742-49-0 / 100%                                                                                                                                                                                                                                                                                   | 64742-49-0                 | GH502 (Flammable), GH507 (Harmful), GH509 (Environmental hazard)                                           | H222, H229, H315, H336, H411                                 | P101, P210, P211, P251, P260, P410+P412, P501                                                                                                                                                                                     |                |           |                  |     |                                                                                                                                                                                                |                                                                      |                   | Dutch SVHC list            | Danger             | Liquid        | 575.000,0            | 20               |                    |           | B                             | B                        | -                         | C                  |                  | Technische Dienst                             |                              |
| 6532429                   | LOCTITE SF 7200 known as Loctite 7200                      |                         | 1,3-dioxolane / 646-06-0 / 25,00%<br>2-amino-ethanol / 141-43-5 / 2,50%<br>Butanon(2-) / 78-93-3 / 2,50%<br>Ethanol / 64-17-5 / 10,00%<br>Hydrocarbons, C10-C13, n-alkanes, isoalkanes / 1174522-09-8 / 2,50%<br>Methylal / 109-87-5 / 75,00%<br>Propanol / 74-98-6 / 25,00%<br>Propanol(2-) / 67-63-0 / 10,00%                                                                      | 78-93-3                    | GH502 (Flammable), GH507 (Harmful)                                                                         | H222, H229, H315, H319                                       | P102, P210, P211, P251, P302+P352, P337+P313, P410+P412                                                                                                                                                                           |                |           |                  |     | CR                                                                                                                                                                                             | Carcinogenic component: 64-17-5<br><br>Reprotoxic component: 64-17-5 |                   |                            | RVM-potential SVHC | Danger        | Liquid               | 830.000,0        | 20                 |           |                               | B                        | B                         | -                  | C                |                                               | Technische Dienst            |
| 6533080                   | 2-26, Spuitbus                                             |                         | Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics / 00-00-0 / 75,00%<br>Koolstofdioxide / 124-38-9 / 5,00%<br>Methyl salicylate / 119-36-8 / 1,00%<br>minerale olie (IP 346 DMSO extract < 3%) / 00-00-0 / 25,00%<br>Propanol (2-methoxymethyl-ethoxy)- (mixture of isomers) / 34950-94-8 / 5,00%<br>Sulfonic acids, petroleum, sodium salts / 68608-26-4 / 5,00% |                            | GH502 (Flammable)                                                                                          | H223, H229                                                   | P102, P210, P211, P251, P410+P412                                                                                                                                                                                                 |                |           |                  |     |                                                                                                                                                                                                |                                                                      |                   |                            |                    | Warning       | Liquid               | 20,0             | 20                 |           | -                             | -                        | -                         | B                  |                  | Technische Dienst                             |                              |
| 6532874                   | Jotun Thinner No. 17                                       |                         | butaan-1-ol / 71-36-3 / 25,00%<br>Ethylbenzeen / 100-41-4 / 10,00%<br>Solvent naphtha (petroleum), light arom. / 64742-95-6 / 75,00%<br>Xyleen, alle isomeren / 1330-20-7 / 25,00%                                                                                                                                                                                                   | 64742-95-6                 | GH502 (Flammable), GH505 (Corrosive), GH507 (Harmful), GH508 (Health Hazard), GH509 (Environmental hazard) | H226, H304, H315, H318, H335, H336, H411                     | P102, P210, P235, P261, P271, P273, P280, P303+P310, P304+P340, P305+P351+P338, P310, P331, P391, P403, P501                                                                                                                      | 3              | 1263      | III              | R   | Reprotoxic component: 1330-20-7                                                                                                                                                                |                                                                      |                   | Dutch SVHC list            | Danger             | Liquid        | 1.200,0              | 20               | 119                |           | C                             | B                        | -                         | D                  | TD               | Technische Dienst                             |                              |
| 6532500                   | Griffon Gasleuker Aer 400ML*12 1313                        |                         | Diisotormonoen / 10024-97-2 / 2,50%                                                                                                                                                                                                                                                                                                                                                  |                            | H229                                                                                                       | P102, P210, P251, P410+P412                                  |                                                                                                                                                                                                                                   | 2              | 1950      | None             | R   | Reprotoxic component: 10024-97-2                                                                                                                                                               |                                                                      |                   |                            |                    | Liquid        | 2.300,0              | 20               | 100                |           | -                             | -                        | -                         | B                  | TD               | Technische Dienst                             |                              |
| 1633276                   | Aardgas                                                    | 74-82-8                 | Butaan (bevatend = 0.1 % butadieen (203-450-8)) / 106-97-8 / 0,40%<br>Ethaan / 74-84-0 / 8,00%<br>Isobutaan (bevatend = 0.1 % butadieen (203-450-8)) / 75-28-5 / 0,22%<br>Koolstofdioxide / 124-38-9 / 3,00%<br>Methaan / 74-82-8 / 88,39%<br>Propanol / 74-98-6 / 2,20%<br>Stelstof / 7727-37-3 / 14,20%<br>Isopropenylmethyl benzylisocyanaat / 2094-99-7 / 98,00%                 | 106-97-8, 75-28-5          | GH502 (Flammable)                                                                                          | H220                                                         | P102, P210, P377, P381, P403                                                                                                                                                                                                      | 2              | 1971      | None             |     |                                                                                                                                                                                                |                                                                      |                   |                            | Dutch SVHC list    | Danger        | Gas                  | 62.117.800,0     | 20                 | -161      |                               | -                        | -                         | -                  | B                | Grondstof                                     |                              |
| 1652408                   | TMPI (META) Unsaturated Aliphatic Isocyanate               |                         |                                                                                                                                                                                                                                                                                                                                                                                      |                            | GH505 (Corrosive), GH506 (Toxic), GH508 (Health Hazard), GH509 (Environmental hazard)                      | H314, H317, H330, H334, H373, H410                           | P102, P260, P264, P271, P280, P284, P301+P330+P331, P303+P361+P531, P304+P340, P305+P351+P338, P310, P320, P342, P342+P311, P363, P372, P373, P391, P403+P233, P405, P501                                                         | 6,1            | 2206      | III              |     |                                                                                                                                                                                                |                                                                      |                   |                            | Danger             | Liquid        | 5,0                  | 20               | 271                |           | D                             | D                        | D                         | D                  | MD40-09          | 3. Standaarden ICLIP Terneuzen Productie      |                              |
| 1592070                   | Gebuste Kalk                                               |                         | Calciumhydroxide / 1305-62-0 / 100%                                                                                                                                                                                                                                                                                                                                                  |                            | GH505 (Corrosive), GH507 (Harmful)                                                                         | H315, H318, H335                                             | P102, P261, P280, P302+P352, P304+P340, P305, P310, P338, P351, P501                                                                                                                                                              |                |           |                  |     |                                                                                                                                                                                                |                                                                      |                   |                            | Danger             | Solid         |                      |                  |                    |           | Fine dust                     | C                        | B                         | -                  | D                |                                               | ICLIP Terneuzen Laboratorium |
| 6532476                   | Copper + Plus                                              |                         | Difenyamine / 122-39-4 / 1,00%<br>Koper / 7440-50-8 / 50,00%                                                                                                                                                                                                                                                                                                                         |                            | GH509 (Environmental hazard)                                                                               | H410                                                         | P102, P264, P270, P273, P391, P501                                                                                                                                                                                                | 9              | 3077      | III              |     |                                                                                                                                                                                                |                                                                      |                   |                            | Warning            | Liquid        | 1,0                  | 20               | 230                |           | -                             | -                        | -                         | B                  | TD               | Technische Dienst                             |                              |
| 1595525                   | Hydriquinon premium                                        |                         | 1,4-dihydroxybenzeen / 123-31-9 / 99,00%                                                                                                                                                                                                                                                                                                                                             |                            | GH505 (Corrosive), GH507 (Harmful), GH508 (Health Hazard), GH509 (Environmental hazard)                    | H302, H317, H318, H341, H351, H400                           | P102, P273, P280, P305+P351+P338                                                                                                                                                                                                  |                |           |                  | CM  | Carcinogenic CLP suspected: H351<br><br>Mutagenic CLP suspected: H341                                                                                                                          |                                                                      |                   |                            | Danger             | Solid         |                      |                  |                    |           | Fine dust                     | D                        | D                         | D                  | D                |                                               | GBC Gebouw                   |
| 6548638                   | Hygienium Antibacterial gel; disinfectant                  |                         | Ethanol / 64-17-5 / 96,00%                                                                                                                                                                                                                                                                                                                                                           |                            | GH502 (Flammable)                                                                                          | H225                                                         | P102, P301+P310, P305+P351+P338, P410+P412                                                                                                                                                                                        |                |           |                  | CR  | Carcinogenic component: 64-17-5<br><br>Reprotoxic component: 64-17-5                                                                                                                           |                                                                      |                   |                            |                    | Liquid        | 7.851,0              | 25               |                    |           | -                             | -                        | -                         | B                  |                  |                                               |                              |
| 6599432                   | Borchi Kat 24                                              | 67874-71-9              | Bismuth tris(2-ethylhexanoate) / 67874-71-9 / 75,00%                                                                                                                                                                                                                                                                                                                                 |                            | GH505 (Corrosive), GH508 (Health Hazard)                                                                   | H315, H318, H361d                                            | P201, P202, P260, P264, P280, P302+P352, P305+P351+P338, P310, P332+P313, P362+P364, P405, P501                                                                                                                                   | Not classified |           | None             | R   | Reprotoxic CLP suspected: H361d                                                                                                                                                                |                                                                      |                   |                            | Danger             | Liquid        | 10,0                 | 20               | 250                |           | C                             | B                        | C                         | D                  | MD40-09          | 4 in 1 gebouw ICLIP Terneuzen Packing         |                              |
| 1595476                   | Dodecylphenol                                              |                         | Phenol, dodecyl-, branched / 121158-58-5 / 100%                                                                                                                                                                                                                                                                                                                                      | 121158-58-5<br>121158-58-5 | GH507 (Harmful), GH508 (Health Hazard), GH509 (Environmental hazard)                                       | H315, H319, H361, H410                                       | P201, P202, P264, P273, P280, P302+P352, P305, P308+P313, P313, P332+P313, P338, P362, P391, P405, P501                                                                                                                           |                |           |                  | R   | Reprotoxic component: 121158-58-5<br><br>Reprotoxic CLP suspected: H361                                                                                                                        |                                                                      |                   | Dutch SVHC list REACH SVHC |                    | Liquid        | 0,0                  | 20               |                    |           | C                             | B                        | C                         | C                  |                  | ICLIP Terneuzen                               |                              |
| 1616764                   | Lood (II)-nitraat                                          | 10099-74-8              | Lood(II)nitraat / 10099-74-8 / 100%                                                                                                                                                                                                                                                                                                                                                  | 10099-74-8<br>10099-74-8   | GH503 (Oxidising), GH505 (Corrosive), GH507 (Harmful), GH508 (Health Hazard), GH509 (Environmental hazard) | H272, H302+H332, H318, H360DF, H373, H410                    | P201, P210, P220, P280, P305+P351+P338, P308+P313, P310                                                                                                                                                                           | 5,1            | 1469      | II               | R   | Reprotoxic CLP proven: H360DF                                                                                                                                                                  | 56                                                                   |                   | Dutch SVHC list REACH SVHC | Danger             | Solid         |                      |                  |                    |           | Fine dust                     | D                        | B                         | D                  | D                | Redflow MEP-TOT-EL                            | ICLIP Terneuzen Laboratorium |
| 1616797                   | Lood (II)-nitraat (als oplossing)                          | 10099-74-8              | Lood(II)nitraat / 10099-74-8 / 100%                                                                                                                                                                                                                                                                                                                                                  | 10099-74-8<br>10099-74-8   | GH503 (Oxidising), GH505 (Corrosive), GH507 (Harmful), GH508 (Health Hazard), GH509 (Environmental hazard) | H272, H302+H332, H318, H360DF, H373, H410                    | P201, P210, P220, P280, P305+P351+P338, P308+P313, P310                                                                                                                                                                           |                |           |                  | R   | Reprotoxic CLP proven: H360DF                                                                                                                                                                  | 56                                                                   |                   | Dutch SVHC list REACH SVHC | Danger             | Solid         |                      |                  |                    |           | Solid granules/grain s/flakes | D                        | B                         | D                  | D                |                                               | ICLIP Terneuzen              |
| 1615776                   | Paraformaldehyde 91/93%                                    |                         | paraformaldehyde / 30525-89-4 / 100%                                                                                                                                                                                                                                                                                                                                                 |                            | GH502 (Flammable), GH507 (Harmful), GH508 (Health Hazard)                                                  | H228, H302+H312+H332, H315, H317, H319, H335, H351           | P201, P210, P241, P321, P405, P501                                                                                                                                                                                                | 4,1            | 2213      | III              | C   | Carcinogenic CLP suspected: H351                                                                                                                                                               |                                                                      |                   |                            | Warning            | Solid         |                      |                  |                    |           | Fine dust                     | D                        | D                         | D                  | C                | P25                                           | ICLIP Terneuzen              |
| 1595509                   | glycidymethacrylaat                                        |                         | 1,3-dichloropropan-2-ol / 96-23-1 / 0,10%<br>2,3-epoxypropan-1-ol / 556-52-5 / 0,50%                                                                                                                                                                                                                                                                                                 | 556-52-5, 96-23-1          | GH505 (Corrosive), GH506 (Toxic), GH507 (Harmful), GH508 (Health Hazard)                                   | H302, H311, H314, H317, H318, H341, H350, H360, H370         | P201, P210, P280, P305+P361+P353, P310, P405                                                                                                                                                                                      |                |           |                  | CMR | Carcinogenic component: 556-52-5<br>96-23-1<br><br>Carcinogenic CLP proven: H350<br><br>Mutagenic CLP suspected: H341<br><br>Reprotoxic component: 556-52-5<br><br>Reprotoxic CLP proven: H350 |                                                                      |                   | Dutch SVHC list            |                    | Liquid        | 420,0                | 20               |                    |           | E                             | E                        | E                         | E                  |                  |                                               |                              |
| 1630144                   | DABCO T-9 Katalysator                                      |                         | Stannous octoate / 301-10-0 / 100%                                                                                                                                                                                                                                                                                                                                                   |                            | GH505 (Corrosive), GH507 (Harmful), GH508 (Health Hazard)                                                  | H317, H318, H361d, H412                                      | P201, P261, P273, P280, P305+P354+P338, P308+P313, P310                                                                                                                                                                           |                |           |                  | R   | Reprotoxic CLP suspected: H361d                                                                                                                                                                |                                                                      |                   |                            | Danger             | Liquid        | 667,0                | 20               |                    |           | C                             | D                        | D                         | D                  |                  |                                               |                              |
| 1590580                   | Hydrazine Hydrate 55%                                      | 7808-57-0 of 10217-52-4 | Hydrazine / 302-01-2 / 35,00%                                                                                                                                                                                                                                                                                                                                                        | 302-01-2<br>302-01-2       | GH505 (Corrosive), GH506 (Toxic), GH508 (Health Hazard), GH509 (Environmental hazard)                      | H302, H311, H314, H317, H331, H350, H350 cat. 1A, H400, H410 | P201, P273, P280, P305+P351+P338, P309+P310                                                                                                                                                                                       | 3293           |           |                  | C   | Carcinogenic component: 302-01-2<br><br>Carcinogenic CLP proven: H350<br>H350 cat. 1A                                                                                                          | 60                                                                   |                   | Dutch SVHC list REACH SVHC | Danger             | Liquid        | 1.500,0              | 20               |                    |           | E                             | E                        | E                         | E                  | PR-122           | Laboratorium Productie Tankenpark/veld        |                              |
| 1576879                   | N-butylene-1,2-oxide (niet alle componenten opgenomen) !!! |                         | 1,2-epoxybutaan / 106-88-7 / 99,80%                                                                                                                                                                                                                                                                                                                                                  |                            | GH503 (Oxidising), GH507 (Harmful), GH508 (Health Hazard)                                                  | H225, H302, H312, H315, H319, H332, H335, H351, H402, H412   | P202, P210, P233, P240, P241, P242, P243, P260, P264, P270, P271, P273, P280, P303+P330+P351, P302+P352, P303+P361+P353, P304+P340, P305+P351+P338, P308+P311, P312, P332+P313, P337+P313, P361, P370+P378, P403+P233, P405, P501 |                |           |                  | C   | Carcinogenic CLP suspected: H351                                                                                                                                                               |                                                                      |                   |                            | Danger             | Liquid        | 22.700,0             | 20               |                    |           | D                             | D                        | D                         | C                  |                  | ICLIP Terneuzen                               |                              |
| 1644522                   | N-Butylene-1,2-oxide                                       |                         | 1,2-epoxybutaan / 106-88-7 / 99,80%<br>2,3-epoxybutane / 326-23-7 / 0,20%<br>Dimethyloxirane(2,2-) / 558-30-5 / 0,20%<br>Propyloxirane / 1003-14-1 / 0,20%                                                                                                                                                                                                                           |                            | GH502 (Flammable), GH507 (Harmful), GH508 (Health Hazard)                                                  | H225, H302, H312, H315, H319, H332, H335, H351, H402, H412   | P202, P210, P233, P240, P241, P242, P243, P260, P264, P270, P271, P273, P280, P303+P353+P331, P302+P352, P303+P361+P353, P304+P340, P305+P351+P338, P308+P311, P312, P332+P313, P337+P313, P361, P370+P378, P403+P233, P405, P501 |                |           |                  | C   | Carcinogenic CLP suspected: H351                                                                                                                                                               |                                                                      |                   |                            | Danger             | Liquid        | 22.700,0             | 20               |                    |           | D                             | D                        | D                         | C                  |                  | ICLIP Terneuzen                               |                              |
| 1639844                   | N-Phenylmaleimide in Acrylonitril                          |                         | Acrylonitril / 107-13-1 / 70,00%<br>N-Phenylmaleimide / 941-69-5 / 43,00%                                                                                                                                                                                                                                                                                                            | 107-13-1                   | GH502 (Flammable), GH505 (Corrosive), GH506 (Toxic), GH508 (Health Hazard), GH509 (Environmental hazard)   | H225, H301, H310, H315, H317, H318, H331, H335, H350, H410   | P202, P210, P235, P240, P241, P242, P243, P260, P280, P284, P303+P361+P353, P304+P340, P305+P351+P338, P310, P370+P378, P403+P233, P405, P501                                                                                     |                |           |                  | C   | Carcinogenic component: 107-13-1<br><br>Carcinogenic CLP proven: H350                                                                                                                          |                                                                      |                   | Dutch SVHC list            |                    |               |                      |                  |                    |           |                               |                          |                           |                    |                  |                                               |                              |

| Stoffenmanager ID (SIPID) | Product name                                                   | Cas nummer | Compositie                                                                                                                                                                                                                                                                                                                                                                                                     | Gevaarcomponent                  | Gevaar pictogrammen CLP/GHS                                                                | Gevaarsaanduiding                                      | Voorsorgmaatregel                                                                                                                                                                                                          | ADR-klasse | UN-nummer | Verpakkingsgroep | CMR indicatoren | Sev                                                                | Reach registratie     | Gevaarlijst                                          | Signalwoord | Physical form | Vapour pressure (Pa) | Temperature (°C) | Boiling Point (°C) | Dustiness | Gevaarsklasse inademing | Gevaarsklasse huid lokaal | Gevaarsklasse huid opname/ogen | Gevaarsklasse | Productie proces                                                      | Gebruik op locaties door risico beoordelingen        |
|---------------------------|----------------------------------------------------------------|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-----------|------------------|-----------------|--------------------------------------------------------------------|-----------------------|------------------------------------------------------|-------------|---------------|----------------------|------------------|--------------------|-----------|-------------------------|---------------------------|--------------------------------|---------------|-----------------------------------------------------------------------|------------------------------------------------------|
| 6532401                   | Interflon Fin Grease (aerosol)                                 |            | Butaan (bevatrend = 0.1 % butadieen (203-450-8)) / 106-97-8 / 25,00%<br>Hydrocarbons, C7-C9, isokaanes / 00-00-0 / 25,00%<br>Isobutaan (bevatrend = 0.1 % butadieen (203-450-8)) / 75-28-5 / 25,00%<br>Propan / 34-98-6 / 25,00%                                                                                                                                                                               | 106-97-8;75-28-5                 | GHS02 (Flammable), GHS07 (Harmful)                                                         | H222, H223, H304, H315, H336, H412                     | P210, P211, P251, P261, P280, P410+P412                                                                                                                                                                                    | 2          | 1950      | None             |                 |                                                                    |                       | Dutch SVHC list                                      | Danger      | Liquid        | 380.000,0            | 20               | 0                  |           | B                       | B                         | -                              | C             | TD                                                                    | Technische Dienst                                    |
| 1630067                   | N-Methylpyrrolidine                                            | 120-94-5   | Methylpyrrolidine(-) / 120-94-5 / 100%                                                                                                                                                                                                                                                                                                                                                                         |                                  | GHS02 (Flammable), GHS05 (Corrosive), GHS06 (Toxic), GHS09 (Environmental hazard)          | H225, H301, H314, H332, H411                           | P210, P233, P240, P241, P242, P243, P260, P264, P271, P273, P280, P301+P330+P331, P303+P61+P533, P304+P340, P305+P351+P338, P310, P370+P378, P391, P403+P233, P405, P501                                                   |            | 2733      |                  |                 | 30                                                                 |                       |                                                      | Danger      | Liquid        | 10.000,0             | 20               |                    | D         | D                       | C                         | D                              | MEP           | ICL-IP Terneuzen Laboratorium                                         |                                                      |
| 1595533                   | Isobutyric acid                                                |            | Isoboterzuur / 79-31-2 / 99,50%                                                                                                                                                                                                                                                                                                                                                                                |                                  | GHS02 (Flammable), GHS05 (Corrosive), GHS06 (Toxic)                                        | H226, H311, H314, H402                                 | P210, P233, P240, P241, P242, P243, P260, P264, P273, P280, P301+P330+P331, P302+P352, P304+P340, P305+P351+P338, P310, P361, P501                                                                                         |            |           |                  |                 |                                                                    |                       |                                                      | Danger      | Liquid        | 200,0                | 20               |                    | D         | D                       | C                         | D                              |               |                                                                       |                                                      |
| 1639888                   | Tetrabutylammonium Iodide 6.69 percent solution in Isopropanol |            | Propanol(2-) / 67-63-0 / 93,31%<br>Tetrabutylammonium iodide / 311-28-4 / 6,69%                                                                                                                                                                                                                                                                                                                                |                                  | GHS02 (Flammable), GHS07 (Harmful)                                                         | H225, H302, H315, H319, H335, H336                     | P210, P233, P240, P241, P242, P243, P261, P264, P270, P271, P280, P301+P312, P302+P352, P303+P61+P533, P304+P340, P305+P351+P338, P312, P330, P332+P313, P337+P313, P362+P364, P370+P378, P403+P233, P403+P235, P405, P501 |            |           |                  |                 |                                                                    |                       |                                                      | Danger      | Liquid        | 4.399,0              | 20               |                    | B         | B                       | B                         | C                              |               | 3. Standaarden                                                        |                                                      |
| 1576889                   | Ethyl Bromide                                                  | 74-96-4    | broomethaan / 74-96-4 / 99,00%                                                                                                                                                                                                                                                                                                                                                                                 |                                  | GHS02 (Flammable), GHS07 (Harmful), GHS08 (Health Hazard)                                  | H225, H302, H332, H351                                 | P210, P233, P240, P241, P242, P243, P261, P280, P301+P312, P303+P61+P533, P304+P340, P310, P380, P370+P378                                                                                                                 |            | 1891      |                  | C               | Carcinogenic CLP suspected: H351                                   | 60                    |                                                      | Danger      | Liquid        | 48.996,0             | 20               |                    | D         | D                       | D                         | B                              | Product       | GBC Gebouw<br>ICL-IP Terneuzen Laboratorium                           |                                                      |
| 6692546                   | Acetone for liquid chromatography UCTropolv                    | 67-64-1    | Aceton / 67-64-1 / 100%                                                                                                                                                                                                                                                                                                                                                                                        |                                  | GHS03 (Oxidising), GHS07 (Harmful)                                                         | H225, H319, H336                                       | P210, P233, P240, P241, P242, P305+P351+P338                                                                                                                                                                               | 3          | 1090      |                  |                 | 33                                                                 | ja                    |                                                      | Danger      | Liquid        | 24.530,0             | 20               | 56,0               |           | B                       | A                         | -                              | C             | Lab analyses                                                          | Laboratorium                                         |
| 1593709                   | Methylal zuiver                                                |            | Methylal / 109-87-5 / 100%                                                                                                                                                                                                                                                                                                                                                                                     |                                  | GHS02 (Flammable)                                                                          | H225                                                   | P210, P233, P240, P241, P303+P61+P533                                                                                                                                                                                      |            |           |                  |                 |                                                                    |                       |                                                      | Danger      | Liquid        | 40.000,0             | 20               |                    | -         | -                       | -                         | B                              |               | ICL-IP Terneuzen Laboratorium                                         |                                                      |
| 1576888                   | Ethanol anhydrous, undenatured                                 |            | Ethanol / 64-17-5 / 99,00%                                                                                                                                                                                                                                                                                                                                                                                     |                                  | GHS03 (Oxidising), GHS07 (Harmful)                                                         | H225, H319                                             | P210, P233, P241, P243, P305+P351+P338, P403+P235                                                                                                                                                                          |            |           |                  | CR              | Carcinogenic component: 64-17-5<br>Reprotoxic component: 64-17-5   |                       |                                                      | Danger      | Liquid        | 5.850,0              | 20               |                    | B         | A                       | -                         | C                              |               | Solids 5 gebouw<br>ICL-IP Terneuzen                                   |                                                      |
| 1590597                   | Propanol                                                       |            | propan-1-ol / 71-23-8 / 100%                                                                                                                                                                                                                                                                                                                                                                                   |                                  | GHS02 (Flammable), GHS05 (Corrosive), GHS07 (Harmful)                                      | H225, H318, H336                                       | P210, P233, P261, P280, P305+P351+P338, P310, P370+P378                                                                                                                                                                    |            |           |                  |                 |                                                                    |                       |                                                      | Danger      | Liquid        | 2.759,0              | 20               |                    | C         | B                       | -                         | D                              | Propylbromide | ICL-IP Terneuzen                                                      |                                                      |
| 6545768                   | n-Hexyl bromide                                                |            | Bromohexane / 111-25-1 / 99,00%                                                                                                                                                                                                                                                                                                                                                                                |                                  | GHS02 (Flammable)                                                                          | H226                                                   | P210, P240, P241, P242, P243, P280, P303+P61+P533, P370+P378, P501                                                                                                                                                         |            |           |                  |                 |                                                                    |                       |                                                      | Warning     | Liquid        | 103.292,0            | 20               |                    | -         | -                       | -                         | B                              |               | ICL-IP Terneuzen                                                      |                                                      |
| 1592024                   | 1,3-Dioxolane Ultraculvere                                     |            | 1,3-dioxolane / 646-06-0 / 100%                                                                                                                                                                                                                                                                                                                                                                                |                                  | GHS02 (Flammable), GHS07 (Harmful)                                                         | H225, H319                                             | P210, P240, P241, P280, P303+P61+P533, P305+P351+P338, P337+P313, P501                                                                                                                                                     |            |           |                  |                 |                                                                    |                       |                                                      | Danger      | Liquid        | 10.100,0             | 20               |                    | B         | A                       | -                         | C                              |               | ICL-IP Terneuzen Packing                                              |                                                      |
| 6692541                   | 1 Propanol                                                     | 71-23-8    | propan-1-ol / 71-23-8 / 100%                                                                                                                                                                                                                                                                                                                                                                                   |                                  | GHS03 (Oxidising), GHS05 (Corrosive), GHS07 (Harmful)                                      | H225, H318, H336                                       | P210, P240, P280, P305+P351+P338, P313, P403+P233                                                                                                                                                                          | 3          | 1274      | II               |                 | 33                                                                 |                       |                                                      | Danger      | Liquid        | 1.300,0              | 20               | 97                 |           | C                       | B                         | -                              | D             | Lab/Propyl bromide                                                    | ICL-IP Terneuzen                                     |
| 6532697                   | Epple 33 sealant                                               |            | Ethyl acetate / 141-78-6 / 19,90%                                                                                                                                                                                                                                                                                                                                                                              |                                  | GHS02 (Flammable), GHS07 (Harmful)                                                         | H225, H319                                             | P210, P241, P271, P280, P501                                                                                                                                                                                               | 3          | 1866      | III              |                 |                                                                    |                       |                                                      | Danger      | Liquid        | 10.000,0             | 20               | 77                 |           | B                       | A                         | -                              | C             | TD                                                                    | Technische Dienst                                    |
| 6692547                   | Acetonitrile HPLC Supra Gradient                               |            | Acetonitril / 75-05-8 / 100%                                                                                                                                                                                                                                                                                                                                                                                   |                                  | GHS03 (Oxidising), GHS07 (Harmful)                                                         | H225, H302+H312+H332, H319                             | P210, P241, P303+P61+P533, P305+P351+P338, P501                                                                                                                                                                            | 3          | 1648      | II               |                 |                                                                    |                       |                                                      | Danger      | Liquid        | 9.700,0              | 20               | 82                 |           | B                       | A                         | B                              | C             | Lab                                                                   |                                                      |
| 6547267                   | Sodium methylelate Solution 30%                                |            | Methanol / 67-56-1 / 70,00%<br>Sodium methoxide / 124-41-4 / 30,00%                                                                                                                                                                                                                                                                                                                                            |                                  | GHS02 (Flammable), GHS05 (Corrosive), GHS06 (Toxic), GHS08 (Health Hazard)                 | H226, H290, H301+H311+H331, H314, H370                 | P210, P243, P260, P280, P303+P61+P533, P304+P340, P305+P351+P338, P308+P311, P403+P235                                                                                                                                     |            |           |                  |                 |                                                                    |                       |                                                      | Danger      | Liquid        | 4.500,0              | 20               |                    | D         | D                       | C                         | D                              |               | Laboratorium                                                          |                                                      |
| 1595513                   | Nacol 6-99                                                     |            | hexan-3-ol / 111-27-3 / 100%                                                                                                                                                                                                                                                                                                                                                                                   |                                  | GHS02 (Flammable), GHS07 (Harmful)                                                         | H226, H302+H312, H319                                  | P210, P243, P280, P301+P312, P303+P61+P533, P305+P351+P338                                                                                                                                                                 |            |           |                  |                 |                                                                    |                       |                                                      | Warning     | Liquid        | 364,0                | 20               |                    | B         | A                       | B                         | C                              |               | ICL-IP Terneuzen                                                      |                                                      |
| 1556631                   | Aceton (Aceton CZ)                                             | 67-64-1    | Aceton / 67-64-1 / 100%                                                                                                                                                                                                                                                                                                                                                                                        |                                  | GHS02 (Flammable), GHS07 (Harmful)                                                         | EUH066, H225, H315, H336                               | P210, P243, P305+P351+P338, P403+P235, P405                                                                                                                                                                                | 3          | 1090      |                  |                 | 33                                                                 | ja                    |                                                      |             | Liquid        | 24.637,0             | 20               |                    | B         | A                       | -                         | C                              |               | Spaarmiddel<br>voormelk OC                                            | ICL-IP Terneuzen                                     |
| 1590599                   | n-Propyl Bromide                                               |            | 1-Bromopropane / 106-94-5 / 99,00%                                                                                                                                                                                                                                                                                                                                                                             | 106-94-5<br>106-94-5<br>106-94-5 | GHS02 (Flammable), GHS07 (Harmful), GHS08 (Health Hazard)                                  | H225, H315, H319, H335, H336, H351, H360F6, H373, H412 | P210, P260, P273, P280, P303+P61+P533, P304+P340, P305+P351+P338, P312, P370+P378, P403+P235, P501                                                                                                                         |            |           |                  | CR              | Carcinogenic CLP suspected: H351<br>Reprotoxic component: 106-94-5 |                       | Dutch SVHC list<br>REACH-Authorisation<br>REACH SVHC | Danger      | Liquid        | 19.065,0             | 20               |                    | D         | D                       | D                         | C                              |               | 3. Standaarden<br>ICL-IP Terneuzen<br>Logistiek<br>Packing            |                                                      |
| 1692103                   | Ammoniak watervrij                                             | 766-41-7   | Ammoniak / 7664-41-7 / 100%                                                                                                                                                                                                                                                                                                                                                                                    |                                  | GHS04 (Gas under pressure), GHS05 (Corrosive), GHS06 (Toxic), GHS09 (Environmental hazard) | EUH071, H221, H280, H314, H318, H331, H400, H411       | P210, P260, P273, P280, P303+P61+P533, P304+P340, P305+P351+P338, P315, P377, P381, P403, P405                                                                                                                             | 2          | 1005      | -                |                 |                                                                    | 268                   | 01-211948876-14                                      | Danger      | Gas           | 857.100,0            | 20               |                    | D         | D                       | -                         | D                              |               | Gasmiddelen bestrijding<br>Broom, tussenfase in<br>Sanofy destillatie |                                                      |
| 1630150                   | Tolueen                                                        |            | Tolueen / 108-88-3 / 99,00%                                                                                                                                                                                                                                                                                                                                                                                    |                                  | GHS02 (Flammable), GHS07 (Harmful), GHS08 (Health Hazard)                                  | H225, H304, H315, H336, H361d, H373, H412              | P210, P261, P273, P301+P310, P308+P313, P331, P403+P235                                                                                                                                                                    |            |           |                  | R               | Reprotoxic component: 108-88-3<br>Reprotoxic CLP suspected: H361d  |                       |                                                      | Danger      | Liquid        | 2.900,0              | 20               |                    | C         | B                       | C                         | C                              |               | ICL-IP Terneuzen                                                      |                                                      |
| 1633293                   | n-Pentyl Bromide                                               |            | Bromopentane[1-] / 110-53-2 / 100%                                                                                                                                                                                                                                                                                                                                                                             |                                  | GHS02 (Flammable), GHS07 (Harmful)                                                         | H226, H315, H317                                       | P210, P261, P280, P302+P352, P303+P61+P533, P333+P313, P370+P378                                                                                                                                                           |            |           |                  |                 |                                                                    |                       |                                                      | Warning     | Liquid        | 2.300,0              | 20               |                    | C         | D                       | D                         | C                              |               | 3. Standaarden<br>GBC Gebouw<br>ICL-IP Terneuzen<br>Packing           |                                                      |
| 1592067                   | Butanol                                                        |            | butaan-1-ol / 71-36-3 / 100%                                                                                                                                                                                                                                                                                                                                                                                   |                                  | GHS02 (Flammable), GHS05 (Corrosive), GHS07 (Harmful)                                      | H226, H315, H318, H335, H336                           | P210, P261, P280, P303+P61+P533, P305+P351+P338, P310                                                                                                                                                                      |            |           |                  |                 |                                                                    |                       |                                                      | Danger      | Liquid        | 1.000,0              | 20               |                    | C         | B                       | -                         | D                              |               | ICL-IP Terneuzen<br>Maintenance/Am                                    |                                                      |
| 1633298                   | n-Pentanol                                                     |            | Pentanol(1-) / 71-41-0 / 100%                                                                                                                                                                                                                                                                                                                                                                                  |                                  | GHS02 (Flammable), GHS05 (Corrosive), GHS07 (Harmful)                                      | H226, H315, H318, H332                                 | P210, P261, P280, P303+P61+P533, P305+P351+P338, P310, P370+P378                                                                                                                                                           |            |           |                  |                 |                                                                    |                       |                                                      | Danger      | Liquid        | 213,0                | 20               |                    | C         | B                       | -                         | D                              |               | 3. Standaarden<br>Tankenpark/field                                    |                                                      |
| 1592026                   | 3-methylpyridine/Beta picoline                                 |            | 3-methylpyridine / 108-99-6 / 100%                                                                                                                                                                                                                                                                                                                                                                             |                                  | GHS02 (Flammable), GHS05 (Corrosive), GHS06 (Toxic)                                        | EUH071, H226, H302+H332, H311, H314                    | P210, P261, P280, P303+P61+P533, P305+P351+P338, P403+P235, P501                                                                                                                                                           | 3          | 2313      | III              |                 |                                                                    |                       |                                                      | Danger      | Liquid        | 600,0                | 20               | 144                | D         | D                       | C                         | D                              | MEP           | GBC Gebouw<br>Laboratorium<br>ICL-IP Terneuzen<br>Laboratorium        |                                                      |
| 1630162                   | Butanol Tertiary                                               |            | 2-Methylpropan-2-ol / 75-65-0 / 99,00%                                                                                                                                                                                                                                                                                                                                                                         |                                  | GHS02 (Flammable), GHS07 (Harmful)                                                         | H225, H319, H332, H335, H336                           | P210, P261, P280, P312, P370+P378, P403+P233                                                                                                                                                                               |            |           |                  |                 |                                                                    |                       |                                                      | Danger      | Liquid        | 4.000,0              | 20               |                    | B         | A                       | -                         | C                              |               |                                                                       |                                                      |
| 1633252                   | Tetrabutylammonium Iodide 6.69 percent solution in Isopropanol |            | Propanol(2-) / 67-63-0 / 93,31%<br>Tetrabutylammonium iodide / 311-28-4 / 6,69%                                                                                                                                                                                                                                                                                                                                |                                  | GHS02 (Flammable), GHS07 (Harmful)                                                         | H225, H319, H336                                       | P210, P261, P280, P312, P370+P378, P403+P233                                                                                                                                                                               |            |           |                  |                 |                                                                    |                       |                                                      | Danger      | Liquid        | 4.399,0              | 20               |                    | B         | A                       | -                         | C                              |               |                                                                       |                                                      |
| 6532696                   | Epple 22 sealant                                               |            | Ethyl acetate / 141-78-6 / 15,50%                                                                                                                                                                                                                                                                                                                                                                              |                                  | GHS02 (Flammable), GHS07 (Harmful)                                                         | H225, H319                                             | P210, P271, P280, P501                                                                                                                                                                                                     | 3          | 1866      | III              |                 |                                                                    |                       |                                                      | Danger      | Liquid        | 9.840.000,0          | 20               | 77                 |           | B                       | A                         | -                              | C             | TD                                                                    | Technische Dienst                                    |
| 1590617                   | Allyl alcohol                                                  |            | Allyl alcohol / 107-18-6 / 99,00%                                                                                                                                                                                                                                                                                                                                                                              |                                  | GHS02 (Flammable), GHS06 (Toxic), GHS09 (Environmental hazard)                             | H225, H301, H310, H315, H319, H330, H350, H400         | P210, P273, P280, P303+P61+P533, P304+P340, P305+P351+P338, P310                                                                                                                                                           |            |           |                  |                 |                                                                    |                       |                                                      | Danger      | Liquid        | 2.400,0              | 20               |                    | D         | B                       | D                         | C                              |               |                                                                       |                                                      |
| 1592029                   | Acetic acid                                                    |            | Acetic acid / 64-19-7 / 100%                                                                                                                                                                                                                                                                                                                                                                                   |                                  | GHS02 (Flammable), GHS05 (Corrosive)                                                       | H226, H314                                             | P210, P260, P280, P303+P61+P533, P305+P351+P338, P308, P310                                                                                                                                                                | 8          | 2789      | II               |                 |                                                                    |                       |                                                      | Danger      | Liquid        | 1.300,0              | 20               | 138                |           | D                       | D                         | -                              | D             | Lab                                                                   | GBC Gebouw<br>ICL-IP Terneuzen                       |
| 1576874                   | Butyl Bromide                                                  | 109-65-9   | Butyl bromide / 109-65-9 / 99,00%                                                                                                                                                                                                                                                                                                                                                                              |                                  | GHS02 (Flammable), GHS07 (Harmful)                                                         | H225, H315                                             | P210, P280, P302+P352, P303+P61+P533, P332+P313, P370+P378                                                                                                                                                                 |            | 1126      |                  |                 | 30                                                                 |                       |                                                      | Danger      | Liquid        | 5.596,0              | 20               |                    | B         | B                       | -                         | C                              |               | Allyls proces<br>GBC Gebouw<br>Packing<br>Solids 5 gebouw             |                                                      |
| 1633267                   | Azijnzuuranhydride >99% voor synthese                          | 108-24-7   | Azijnzuuranhydride / 108-24-7 / 100%                                                                                                                                                                                                                                                                                                                                                                           |                                  | GHS02 (Flammable), GHS05 (Corrosive), GHS07 (Harmful)                                      | H226, H302+H332, H314                                  | P210, P280, P303+P61+P533, P305+P351+P338, P310                                                                                                                                                                            | 8          | 1715      | 2                |                 | 83                                                                 | 01-2119486470-36-xxxx |                                                      | Danger      | Liquid        | 506,0                | 20               |                    | D         | D                       | B                         | D                              | P100          | 3. Standaarden<br>GBC Gebouw<br>ICL-IP Terneuzen                      |                                                      |
| 1595535                   | Eastman(TM) Isobutyric Anhydride                               |            | Isoboterzuuranhydride / 97-72-3 / 100%                                                                                                                                                                                                                                                                                                                                                                         |                                  | GHS05 (Corrosive), GHS06 (Toxic)                                                           | H311, H314, H331                                       | P210, P301+P330+P331, P303+P61+P533                                                                                                                                                                                        |            |           |                  |                 |                                                                    |                       |                                                      | Danger      | Liquid        | 111,0                | 20               |                    | D         | D                       | C                         | D                              |               |                                                                       |                                                      |
| 1630134                   | Waterstof                                                      |            | Waterstof / 1333-74-0 / 100%                                                                                                                                                                                                                                                                                                                                                                                   |                                  | GHS02 (Flammable), GHS04 (Gas under pressure)                                              | H220, H280                                             | P210, P377, P381, P403                                                                                                                                                                                                     |            |           |                  |                 |                                                                    |                       |                                                      | Danger      | Gas           | 165.292.000,0        | 20               |                    | -         | -                       | -                         | B                              |               |                                                                       |                                                      |
| 1633272                   | Aardgas, droog                                                 | 74-82-8    | Natural gas, dried / 68410-63-9 / 100%                                                                                                                                                                                                                                                                                                                                                                         |                                  | GHS02 (Flammable), GHS04 (Gas under pressure)                                              | H220, H280                                             | P210, P377, P381, P410+P403                                                                                                                                                                                                | 2          | 1971      | None             |                 |                                                                    |                       |                                                      | Danger      | Gas           | 62.117.800,0         | 20               | 185                |           | -                       | -                         | -                              | B             |                                                                       |                                                      |
| 1642441                   | Tri-n-butylamine                                               |            | Tributylamine / 102-82-9 / 98,00%                                                                                                                                                                                                                                                                                                                                                                              |                                  | GHS06 (Toxic)                                                                              | H302, H310, H315, H330                                 | P233, P280, P284, P301+P330+P331, P302+P352, P304+P340, P310, P361                                                                                                                                                         | 6,1        | 2542      | II               |                 |                                                                    |                       |                                                      | Danger      | Liquid        | 18,0                 | 20               | 208                |           | D                       | B                         | D                              | C             | Additief // Acid<br>scavenger                                         | 3. Standaarden<br>GBC Gebouw<br>Packing<br>Productie |
| 6533040                   | SUPER ONTSTOPPER                                               |            | Zwavelzuur / 7664-93-9 / 100%                                                                                                                                                                                                                                                                                                                                                                                  |                                  | GHS05 (Corrosive)                                                                          | H290, H314, H318                                       | P234, P260, P264, P270, P280, P303+P61+P533, P304+P340, P305+P351+P338, P363, P501                                                                                                                                         |            |           |                  | C               | Carcinogenic component: 7664-93-9                                  |                       |                                                      | Danger      | Liquid        | 40,0                 | 20               |                    | D         | D                       | -                         | D                              |               |                                                                       |                                                      |
| 1654201                   | MEP TOT E-EL                                                   |            | Ethyl-1-methylpyrrolidinium bromide[1-] / 69227-51-6 / 15,00%<br>Zinkbromide / 7699-45-8 / 40,00%<br>Zinkchloride / 7646-85-2 / 5,00%                                                                                                                                                                                                                                                                          |                                  | GHS05 (Corrosive), GHS07 (Harmful), GHS08 (Health Hazard), GHS09 (Environmental hazard)    | H290, H302, H314, H317, H341, H411                     | P234, P260, P264, P280, P301+P330+P331, P303+P61+P533, P304+P340, P305+P351+P338, P310, P363, P406                                                                                                                         | 8          |           | II               | M               | Mutagenic CLP suspected: H341                                      |                       |                                                      | Danger      | Liquid        | 2.300,0              | 20               |                    | D         | D                       | D                         | D                              | Redflow       | GBC Gebouw<br>ICL-IP Terneuzen<br>Laboratorium<br>Productie           |                                                      |
| 6681546                   | Electrolyte Solution Q3 (RedFlow TEB)                          |            | Ethyl-1-methylpyrrolidinium bromide[1-] / 69227-51-6 / 12,00%<br>Kaliumchloride (KCl) / 7447-40-7 / 10,00%<br>Zinkbromide / 7699-45-8 / 30,00%<br>Zinkchloride / 7646-85-2 / 10,00%                                                                                                                                                                                                                            |                                  | GHS05 (Corrosive), GHS07 (Harmful), GHS08 (Health Hazard), GHS09 (Environmental hazard)    | H290, H302, H314, H317, H341, H411                     | P234, P260, P264, P280, P301+P330+P331, P303+P61+P533, P304+P340, P305+P351+P338, P310, P363, P406                                                                                                                         | 8          | 1760      | II               | M               | Mutagenic CLP suspected: H341                                      |                       |                                                      |             | Liquid        | 2.195,0              | 25               | 150                |           | D                       | D                         | D                              | D             | Redflow                                                               | Productie                                            |
| 1590582                   | Chlorobenzene                                                  | 108-90-7   | chlorobenzene / 108-90-7 / 100%                                                                                                                                                                                                                                                                                                                                                                                |                                  | GHS02 (Flammable), GHS07 (Harmful), GHS09 (Environmental hazard)                           | H226, H315, H332, H411                                 | P260, P262, P273, P403, P501                                                                                                                                                                                               |            | 1134      |                  |                 | 30                                                                 |                       |                                                      | Warning     | Liquid        | 1.200,0              | 20               |                    | B         | B                       | -                         | C                              | FR370 proces  | GBC Gebouw<br>ICL-IP Terneuzen                                        |                                                      |
| 6533043                   | Androx 907PB                                                   |            | Alcohols, c11-15-secondary, ethoxylated / 68131-40-8 / 5,00%<br>Amine 220 / 95-38-5 / 0,25%<br>Distillates (petroleum), hydrotreated light / 64742-47-8 / 65,00%<br>Ethoxylated alcohols (C6-C12) / 68429-45-2 / 5,00%<br>Naphthalenol, 1-[[4-(phenylazo)phenyl]acetyl, azo<br>happyl ar'-me-deries (2-1) / 92927-31-3 / 2,50%<br>Propanol (2-methoxymethyl-ethoxy) (mixture of isomers) / 34590-94-8 / 10,00% | 7446-70-0                        | GHS05 (Corrosive), GHS08 (Health Hazard)                                                   | EUH066, H304, H31                                      |                                                                                                                                                                                                                            |            |           |                  |                 |                                                                    |                       |                                                      |             |               |                      |                  |                    |           |                         |                           |                                |               |                                                                       |                                                      |

| Materialnummer ID (SIPID) | Product name                              | Cas nummer                                                   | Compositie                                                                                                                                                                                                                                                                                                                                                                                   | Gevaarcomponent                      | Gevaar pictogrammen CLP/GHS                                                             | Gevaarsaanduiding                       | Voorzorgsmaatregel                                                                                                                                        | ADR Klasse | UN-Nummer | Verpakkingsgroep | CMR | CMR indicatoren                                                                                                                                    | Sev | Reach registratie                                                                    | Gevaarlijst                   | Signalwoord        | Physical form      | Vapour pressure (Pa) | Temperature (°C) | Boiling Point (°C) | Dustiness | Gevaarsklasse inademing                     | Gevaarsklasse huid lokaal | Gevaarsklasse huid opname/ogen | Gevaarsklasse | Productie proces                                                                             | Subruik op locaties door risico beoordelingen                                      |                      |                 |
|---------------------------|-------------------------------------------|--------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|-----------------------------------------------------------------------------------------|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-----------|------------------|-----|----------------------------------------------------------------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------|-------------------------------|--------------------|--------------------|----------------------|------------------|--------------------|-----------|---------------------------------------------|---------------------------|--------------------------------|---------------|----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|----------------------|-----------------|
| 1630089                   | Zinc Bromide Solution                     | 7699-45-8                                                    | Zinkbromide / 7699-45-8 / 77,00%                                                                                                                                                                                                                                                                                                                                                             |                                      | GH505 (Corrosive), GH507 (Harmful), GH509 (Environmental hazard)                        | H302, H314, H317, H411                  | P260, P273, P280, P301+P330+P331, P303+P361+P353, P304+P340, P305+P351+P338, P310, P501                                                                   | 8          | 1760      | 2                |     |                                                                                                                                                    | 90  |                                                                                      |                               | Danger             | Liquid             | 693,0                | 20               |                    |           | D                                           | D                         | D                              | D             | Productie proces                                                                             | ICLIP Terneuzen                                                                    |                      |                 |
| 1644602                   | Zinc Bromide and Calcium Bromide Solution | 7699-45-8 / 7789-41-5                                        | calcium bromide / 7789-41-5 / 23,00%<br>Zinkbromide / 7699-45-8 / 58,00%                                                                                                                                                                                                                                                                                                                     |                                      | GH505 (Corrosive), GH507 (Harmful), GH509 (Environmental hazard)                        | H302, H314, H317, H318, H411            | P260, P273, P280, P301+P330+P331, P303+P361+P353, P304+P340, P305+P351+P338, P310                                                                         | 8          | 1760      | 2                |     |                                                                                                                                                    | 80  | 01-211940043-45-0000<br>01-211940040-51-0000                                         |                               | Danger             | Liquid             | 2.300,0              | 20               |                    |           | D                                           | D                         | D                              | D             | Productie                                                                                    |                                                                                    |                      |                 |
| 1576842                   | Bromine                                   | 7726-95-6                                                    | broom / 7726-95-6 / 100%                                                                                                                                                                                                                                                                                                                                                                     |                                      | GH505 (Corrosive), GH506 (Toxic), GH509 (Environmental hazard)                          | H314, H330, H400                        | P260, P273, P280, P284, P301+P330+P331, P303+P361+P353, P304+P340, P305+P351+P338, P310, P331, P403+P233, P501                                            | 8          | 1744      | 1                |     |                                                                                                                                                    | 886 | 01-2119461734-37                                                                     |                               | Danger             | Liquid             | 22.943,0             | 25               | 58,8               |           | D                                           | D                         | -                              | D             | broombandling<br>BRU gebouw<br>HBR Liquefied<br>ICLIP Terneuzen<br>Laboratorium<br>Productie |                                                                                    |                      |                 |
| 1592053                   | Bromosol                                  |                                                              | Natriumhydroxide / 1310-73-2 / 10,00%<br>Sodium hypobromite / 13824-96-9 / 15,00%                                                                                                                                                                                                                                                                                                            |                                      | GH505 (Corrosive), GH509 (Environmental hazard)                                         | EUH031, H314, H400                      | P260, P273, P280, P301+P330+P331, P303+P361+P353, P304+P340, P305+P351+P338, P310, P331, P501                                                             |            |           |                  |     |                                                                                                                                                    |     |                                                                                      |                               | Danger             | Liquid             | 2.300,0              | 20               |                    |           | D                                           | D                         | -                              | D             |                                                                                              |                                                                                    |                      |                 |
| 1642453                   | Cetamine G812                             |                                                              | (±)-N-9-octadecenypropan-1,3-diamine / 7173-62-8 / 1,00%<br>2-amino-ethanol / 141-43-5 / 5,00%<br>Amines, tallow alkyl, ethoxylated / 61791-26-2 / 1,00%<br>Methoxyethyl methacrylate / 100-37-8 / 25,00%                                                                                                                                                                                    |                                      | GH505 (Corrosive), GH507 (Harmful)                                                      | H314, H335, H412                        | P260, P273, P280, P301+P330+P331, P303+P361+P353, P305+P351+P338, P310                                                                                    | 8          | 2735      | II               |     |                                                                                                                                                    | 80  |                                                                                      |                               | Danger             | Liquid             | 2.300,0              | 20               |                    |           | D                                           | D                         | -                              | D             | Utilities                                                                                    | Ecologie & Utilities                                                               |                      |                 |
| 1642451                   | Cetamine G900                             |                                                              | (±)-N-9-octadecenypropan-1,3-diamine / 7173-62-8 / 1,00%<br>Acrylic acid copolymer, sulfonated, sodium salt / 97952-25-8 / 5,00%<br>benzotriazole / 95-14-7 / 5,00%<br>Kaliumhydroxide / 1310-58-3 / 1,00%<br>Methoxyethyl methacrylate / 100-37-8 / 25,00%                                                                                                                                  | 95-14-7                              | GH505 (Corrosive), GH507 (Harmful)                                                      | H314, H335, H412                        | P260, P273, P280, P301+P330+P331, P303+P361+P353, P305+P351+P338, P310                                                                                    | 8          | 2735      | II               |     |                                                                                                                                                    | 80  |                                                                                      |                               | NVM-potential SVHC | Danger             | Liquid               | 2.300,0          | 20                 | 100       |                                             | D                         | D                              | -             | D                                                                                            | Utilities                                                                          | Ecologie & Utilities |                 |
| 1633284                   | Natriumhypochloriet 150 g/l               | 7681-52-9                                                    | Natriumhypochloriet / 7681-52-9 / 13,00%                                                                                                                                                                                                                                                                                                                                                     |                                      | GH505 (Corrosive), GH509 (Environmental hazard)                                         | EUH031, H250, H314, H400, H411          | P260, P273, P280, P301+P330+P331, P303+P361+P353, P304+P340, P305+P351+P338, P310, P403+P233                                                              |            | 1791      |                  |     |                                                                                                                                                    | 80  |                                                                                      |                               | Danger             | Liquid             | 2.500,0              | 20               |                    |           | D                                           | D                         | -                              | D             | Koeltoren BRU, Solids 5 en GBC                                                               | Ecologie & Utilities<br>ICLIP Terneuzen                                            |                      |                 |
| 1590568                   | o-Dichlorobenzene pure                    |                                                              | 1,2-dichloorbenzeen / 95-50-1 / 100%                                                                                                                                                                                                                                                                                                                                                         |                                      | GH507 (Harmful), GH509 (Environmental hazard)                                           | H302+H332, H315, H317, H319, H335, H410 | P260, P273, P280, P309+P310                                                                                                                               |            |           |                  |     |                                                                                                                                                    |     |                                                                                      |                               | Warning            | Liquid             | 140,0                | 20               |                    |           | C                                           | D                         | D                              | C             |                                                                                              |                                                                                    |                      |                 |
| 1630085                   | Zinkchloride Vast                         | 7646-85-7                                                    | Zinkchloride / 7646-85-7 / 94,00%                                                                                                                                                                                                                                                                                                                                                            |                                      | GH505 (Corrosive), GH507 (Harmful), GH509 (Environmental hazard)                        | H302, H314, H335, H410                  | P260, P273, P304+P340, P405, P501                                                                                                                         | 8          | 2331      | 3                |     |                                                                                                                                                    |     | 01-2119472431-44                                                                     |                               | Danger             | Solid              |                      |                  |                    |           | Coarse dust                                 | D                         | D                              | B             | D                                                                                            | MEP productie                                                                      | ICLIP Terneuzen      |                 |
| 1574880                   | Biobrom C - 103                           | 10222-01-2                                                   | 2,2-dibroom-3-nitropropionamide / 10222-01-2 / 98,00%                                                                                                                                                                                                                                                                                                                                        | 10222-01-2                           | GH505 (Corrosive), GH506 (Toxic), GH509 (Environmental hazard)                          | H302, H315, H317, H318, H330, H410      | P260, P280, P284, P301+P312, P302+P352, P304+P340, P305+P351+P338, P310, P330                                                                             |            | 2611      |                  |     |                                                                                                                                                    | 60  |                                                                                      | Dutch SVHC list               | Danger             | Solid              |                      |                  |                    |           | Coarse dust                                 | D                         | D                              | D             | D                                                                                            | Productnaam generiek                                                               |                      |                 |
| 1590612                   | Aktiphos 103 S                            | 7664-38-2 / 9003-01-4 / 15827-60-9 / 7664-93-8 / 929385-43-1 | [[[phosphonomethyl]imino]bis[ethane-2,1-diyl]nitrobis(methylene)]tetrakisphosphonic acid / 15827-60-9 / 10,00%<br>Fosforzuur / 7664-38-2 / 10,00%<br>Methyl-1h-benzotriazole / 29385-43-1 / 2,50%<br>Zwavelzuur / 7664-93-9 / 10,00%                                                                                                                                                         |                                      | GH505 (Corrosive)                                                                       | H314                                    | P260, P280, P301+P330+P331, P303+P361+P353, P304+P340, P305+P351+P338, P310                                                                               | 8          | 3264      |                  | C   | Carcinogenic component: 7664-93-9                                                                                                                  | 80  | 01-2119465924-24-xxxx01-2119510387-42-xxxx01-2119458838-20-xxxx01-2119979081-35-xxxx |                               | Danger             | Liquid             | 40,0                 | 20               |                    |           | D                                           | D                         | -                              | D             | Koeltoren BRU                                                                                | Ecologie & Utilities<br>ICLIP Terneuzen                                            |                      |                 |
| 1590601                   | Hydrobromic Acid 62%                      | 10035-10-6                                                   | Waterstofbromide (HBr Gasvormig) / 10035-10-6 / 62,00%                                                                                                                                                                                                                                                                                                                                       |                                      | GH505 (Corrosive), GH507 (Harmful)                                                      | H314, H335                              | P260, P280, P301+P330+P331, P303+P361+P353, P304+P340, P305+P351+P338, P310                                                                               | 8          | 1788      | 2                |     |                                                                                                                                                    | 80  | 01-2119479072-39-XXXX                                                                |                               | Danger             | Liquid             | 11.999,0             | 20               |                    |           | D                                           | D                         | -                              | D             | HBR Brander<br>ICLIP Terneuzen<br>Packing                                                    |                                                                                    |                      |                 |
| 1595493                   | Aktiphos 103 S                            | 7664-38-2 / 9003-01-4 / 15827-60-9 / 7664-93-8 / 929385-43-1 | [[[phosphonomethyl]imino]bis[ethane-2,1-diyl]nitrobis(methylene)]tetrakisphosphonic acid / 15827-60-9 / 10,00%<br>Fosforzuur / 7664-38-2 / 10,00%<br>Methyl-1h-benzotriazole / 29385-43-1 / 2,50%<br>Zwavelzuur / 7664-93-9 / 10,00%                                                                                                                                                         |                                      | GH505 (Corrosive)                                                                       | H314                                    | P260, P280, P301+P330+P331, P303+P361+P353, P304+P340, P305+P351+P338, P310                                                                               | 8          | 3264      |                  | C   | Carcinogenic component: 7664-93-9                                                                                                                  | 80  | 01-2119465924-24-xxxx01-2119510387-42-xxxx01-2119458838-20-xxxx01-2119979081-35-xxxx |                               | Danger             | Liquid             | 2.300,0              | 20               |                    |           | D                                           | D                         | -                              | D             | Koeltoren BRU                                                                                | ICLIP Terneuzen                                                                    |                      |                 |
| 1595472                   | Diphenyl Chlorophosphante                 |                                                              | Diphenyl chlorophosphonate / 2524-64-3 / 98,00%                                                                                                                                                                                                                                                                                                                                              |                                      | GH505 (Corrosive)                                                                       | EUH014, H314                            | P260, P280, P301+P330+P331, P303+P361+P353, P304+P340, P305+P351+P338, P310                                                                               |            |           |                  |     |                                                                                                                                                    |     |                                                                                      |                               | Danger             | Liquid             | 1.333,0              | 20               |                    |           | D                                           | D                         | -                              | D             | 3. Standaarden                                                                               |                                                                                    |                      |                 |
| 1654198                   | Bactebrom                                 |                                                              | Waterstofbromide (HBr Gasvormig) / 10035-10-6 / 40,50%                                                                                                                                                                                                                                                                                                                                       |                                      | GH505 (Corrosive), GH507 (Harmful)                                                      | H302, H314, H335                        | P260, P280, P301+P330+P331, P303+P361+P353, P304+P340, P305+P351+P338, P310                                                                               | 8          | 1760      | II               |     |                                                                                                                                                    |     |                                                                                      |                               | Danger             | Liquid             | 2.300,0              | 20               |                    |           | D                                           | D                         | B                              | D             | Bactebrom                                                                                    |                                                                                    |                      |                 |
| 1652375                   | Polyol P25 = zelfde als MD40-09           |                                                              | Castor oil / 8001-79-4 / 75,00%<br>Fenol / 108-95-2 / 3,75%<br>Formaldehyde / 50-00-0 / 0,50%<br>Phenol, dodecyl-, branched / 121158-58-5 / 1,50%                                                                                                                                                                                                                                            | 121158-58-5 / 50-00-0<br>121158-58-5 | GH505 (Corrosive), GH507 (Harmful), GH508 (Health Hazard), GH509 (Environmental hazard) | H314, H317, H341, H350, H411            | P260, P280, P301+P330+P331, P303+P361+P353, P304+P340, P305+P351+P338, P310, P362+P364, P501                                                              | 8          | 1760      | II               | CMR | Carcinogenic component: 50-00-0<br><br>Carcinogenic CLP proven: H350<br><br>Mutagenic CLP suspected: H341<br><br>Reprotoxic component: 121158-58-5 |     |                                                                                      | Dutch SVHC list<br>REACH SVHC | Danger             | Liquid             | 2.300,0              | 20               |                    |           | E                                           | E                         | E                              | E             | P25                                                                                          | 3. Standaarden<br>ICLIP Terneuzen                                                  |                      |                 |
| 1630128                   | Hydrogen Bromide                          | 10035-10-6                                                   | Waterstofbromide (HBr Gasvormig) / 10035-10-6 / 100%                                                                                                                                                                                                                                                                                                                                         |                                      | GH504 (Gas under pressure), GH505 (Corrosive), GH507 (Harmful)                          | H280, H314, H335                        | P260, P280, P301+P330+P331, P303+P361+P353, P304+P340, P305+P351+P338, P310, P410+P403                                                                    | 2          | 1048      |                  |     |                                                                                                                                                    | 268 | 01-2119479072-39-XXXX                                                                |                               | Danger             | Liquid             | 2.026.500,0          | 20               |                    |           | D                                           | D                         | -                              | D             |                                                                                              | ICLIP Terneuzen                                                                    |                      |                 |
| 1592083                   | Bromochloromethane (CBM)                  | 74-97-5                                                      | Bromochloromethane (CBM) / 74-97-5 / 99,00%                                                                                                                                                                                                                                                                                                                                                  |                                      | GH505 (Corrosive)                                                                       | H314, H420                              | P260, P280, P301+P330+P331, P303+P361+P353, P304+P340, P305+P351+P338, P310                                                                               | 6,1        | 1887      | 3                |     |                                                                                                                                                    | 60  | 01-2119915787-25-0000                                                                |                               | Danger             | Liquid             | 15.598,0             | 20               |                    |           | D                                           | D                         | -                              | D             | Aanwezig als bijproduct in FR122P solvent                                                    | ICLIP Terneuzen<br>Tankenpark/field                                                |                      |                 |
| 1630074                   | Zoutzuur >25%                             | 7647-01-0                                                    | Zoutzuur / 7647-01-0 / 25,00%                                                                                                                                                                                                                                                                                                                                                                |                                      | GH505 (Corrosive), GH507 (Harmful)                                                      | H290, H314, H335                        | P260, P280, P301+P330+P331, P303+P361+P353, P304+P340, P501                                                                                               | 8          | 1789      | II               |     |                                                                                                                                                    | 80  | 01-2119484862-27                                                                     |                               | Danger             | Liquid             | 1.640,0              | 20               |                    |           | D                                           | D                         | -                              | D             | Grondstof en hulpstof                                                                        | ICLIP Terneuzen                                                                    |                      |                 |
| 1592078                   | Cetamine V211                             |                                                              | (±)-N-9-octadecenypropan-1,3-diamine / 7173-62-8 / 2,50%<br>2-amino-ethanol / 141-43-5 / 25,00%<br>Amines, tallow alkyl, ethoxylated / 61791-26-2 / 1,00%<br>cyclohexylamine / 108-91-8 / 10,00%                                                                                                                                                                                             |                                      | GH505 (Corrosive), GH507 (Harmful), GH508 (Health Hazard)                               | H314, H335, H361F                       | P260, P280, P301+P330+P331, P303+P361+P353, P305+P351+P338, P310                                                                                          | 8          |           |                  | R   | Reprotoxic component: 108-91-8<br><br>Reprotoxic CLP suspected: H361F                                                                              |     |                                                                                      |                               | Danger             | Liquid             | 2.300,0              | 20               |                    |           | D                                           | D                         | C                              | D             |                                                                                              | ICLIP Terneuzen                                                                    |                      |                 |
| 1642463                   | Osmotech 2575                             |                                                              | cyclohexylamine / 108-91-8 / 25,00%<br>Fosforzuur / 7664-38-2 / 25,00%<br>salpetersuur / 7697-37-2 / 50,00%                                                                                                                                                                                                                                                                                  |                                      | GH505 (Corrosive), GH507 (Harmful)                                                      | H290, H302+H332, H314                   | P260, P280, P301+P330+P331, P303+P361+P353, P305+P351+P338, P310                                                                                          | 8          | 3264      | II               |     |                                                                                                                                                    |     |                                                                                      |                               | Danger             | Liquid             | 2.300,0              | 20               |                    |           | D                                           | D                         | B                              | D             | Utilities                                                                                    | Productie                                                                          |                      |                 |
| 1639937                   | Ferrolix 8363                             |                                                              | Natriumhydroxide / 1310-73-2 / 1,00%<br>Phosphonic acid tetrasodium salt / 3794-83-0 / 10,00%                                                                                                                                                                                                                                                                                                |                                      | GH505 (Corrosive)                                                                       | H314                                    | P260, P280, P301+P330+P331, P303+P361+P353, P305+P351+P338, P310                                                                                          |            |           |                  |     |                                                                                                                                                    |     |                                                                                      |                               | Danger             | Liquid             | 2.300,0              | 20               |                    |           | D                                           | D                         | -                              | D             |                                                                                              |                                                                                    |                      |                 |
| 1642464                   | Osmotech 2632                             |                                                              | Natriumcarbonaat / 497-19-8 / 50,00%<br>Natriumhydroxide / 1310-73-2 / 25,00%<br>tetraanatriumethyleendiaminetetraacetaat / 64-02-8 / 25,00%                                                                                                                                                                                                                                                 |                                      | GH505 (Corrosive), GH508 (Health Hazard)                                                | H314, H373                              | P260, P280, P301+P330+P331, P303+P361+P353, P305+P351+P338, P310                                                                                          | 8          | 1823      | II               |     |                                                                                                                                                    |     |                                                                                      |                               | Danger             | Solid              |                      |                  |                    |           | Fine dust                                   | D                         | D                              | C             | D                                                                                            | Utilities                                                                          | Ecologie & Utilities |                 |
| 6701024                   | Aktiphos 4170                             |                                                              | benzotriazole / 95-14-7 / 2,50%<br>Kaliumhydroxide / 1310-58-3 / 5,00%<br>Methyl-2,3-dihydroisothiazolin-3-on(2-) / 2682-20-4 / 0,0015%<br>Reaction mass of potassium sodium (2R*,3R*)-2-hydroxy-3-(phosphonatoxy)succinate and potassium sodium (2R*,3R*)-2,3-(dihydroxy)succinate and potassium sodium phosphonate / 100-00-0 / 10,00%                                                     | 95-14-7                              | GH505 (Corrosive), GH507 (Harmful)                                                      | H290, H314, H317                        | P260, P280, P301+P330+P331, P303+P361+P353, P305+P351+P338, P310                                                                                          | 8          | 1719      | II               |     |                                                                                                                                                    |     |                                                                                      |                               | NVM-potential SVHC | Danger             | Liquid               | 1,0              | 20                 |           |                                             | D                         | D                              | D             | D                                                                                            | Utilities                                                                          |                      |                 |
| 1630071                   | Zwavelzuur >51%                           | 7664-93-9                                                    | Zwavelzuur / 7664-93-9 / 51,00%                                                                                                                                                                                                                                                                                                                                                              |                                      | GH505 (Corrosive)                                                                       | H314                                    | P260, P280, P301+P330+P331, P303+P361+P353, P338, P363                                                                                                    | 8          | 1830      | 2                | C   | Carcinogenic component: 7664-93-9                                                                                                                  | 80  | 01-2119458838-20                                                                     |                               | Danger             | Liquid             | 2.000,0              | 20               |                    |           | D                                           | D                         | -                              | D             | Utilities                                                                                    | ICLIP Terneuzen                                                                    |                      |                 |
| 1630121                   | Hydrobromic Acid 48%                      | 10035-10-6                                                   | Waterstofbromide (HBr Gasvormig) / 10035-10-6 / 48,00%                                                                                                                                                                                                                                                                                                                                       |                                      | GH505 (Corrosive), GH507 (Harmful)                                                      | H314, H335                              | P260, P280, P301+P330+P331, P303+P361+P353, P305+P351+P338, P310                                                                                          | 8          | 1788      | 2                |     |                                                                                                                                                    | 80  | 01-2119479072-39-XXXX                                                                |                               | Danger             | Liquid             | 1.067,0              | 20               |                    |           | D                                           | D                         | -                              | D             | 3. Standaarden<br>GBC Gebouw<br>HBR Brander<br>ICLIP Terneuzen<br>Packing                    |                                                                                    |                      |                 |
| 1642419                   | Kaliumhydroxide >25%                      |                                                              | Kaliumhydroxide / 1310-58-3 / 25,00%                                                                                                                                                                                                                                                                                                                                                         |                                      | GH505 (Corrosive), GH507 (Harmful)                                                      | H290, H302, H314                        | P260, P280, P303+P361+P353, P305+P351+P338, P310                                                                                                          | 8          | 1814      | II               |     |                                                                                                                                                    |     |                                                                                      |                               | Danger             | Liquid             | 2.300,0              | 20               | 145                |           | D                                           | D                         | B                              | D             |                                                                                              | Laboratorium<br>Logistiek<br>Productie<br>GBC Gebouw<br>ICLIP Terneuzen<br>Packing |                      |                 |
| 1595485                   | 1,2-ethaandiol                            | 107-21-1                                                     | 1,2-ethaandiol / 107-21-1 / 100%                                                                                                                                                                                                                                                                                                                                                             |                                      | GH507 (Harmful), GH508 (Health Hazard)                                                  | H302, H373                              | P260, P301, P314, P501                                                                                                                                    |            |           |                  |     |                                                                                                                                                    |     |                                                                                      |                               | Warning            | Liquid             | 12,3                 | 20               |                    |           | C                                           | -                         | C                              | B             | Utility                                                                                      | GBC Gebouw<br>ICLIP Terneuzen<br>Packing                                           |                      |                 |
| 1633282                   | Natriumhydroxide vast                     | 1310-73-2                                                    | Natriumhydroxide / 1310-73-2 / 98,00%                                                                                                                                                                                                                                                                                                                                                        |                                      | GH505 (Corrosive)                                                                       | H290                                    | P260, P303+P351+P353, P305+P351+P338, P310, P338                                                                                                          |            | 1823      |                  |     |                                                                                                                                                    | 80  |                                                                                      |                               | Danger             | Solid              |                      |                  |                    |           | Solid granules/grain s/fakes<br>Coarse dust | A                         | -                              | -             | B                                                                                            | Loos in verschillende concentraties                                                | ICLIP Terneuzen      |                 |
| 1590584                   | N-Phenylmaleimide                         | 941-69-5                                                     | N-Phenylmaleimide / 941-69-5 / 100%                                                                                                                                                                                                                                                                                                                                                          |                                      | GH505 (Corrosive), GH506 (Toxic), GH509 (Environmental hazard)                          | H301, H315, H317, H318, H400            | P261, P264, P270, P272, P273, P280, P301+P310, P302+P352, P304+P340, P305+P351+P338, P310, P321, P330, P332+P313, P333+P313, P362, P363, P391, P405, P501 |            | 2811      |                  |     | 60                                                                                                                                                 |     |                                                                                      | Danger                        | Solid              |                    |                      |                  |                    | C         | D                                           | D                         | D                              | NPMI ACN      | ICLIP Terneuzen                                                                              |                                                                                    |                      |                 |
| 6532427                   | UDCTITE 2701                              |                                                              | [2-[2-methyl-2-oxoethyl]oxy]ethyl hydrogen succinate / 20892-04-6 / 10,00%<br>Acetyl-2-fenylhydrazine(1-1) / 114-83-0 / 1,00%<br>Cumene / 98-82-8 / 1,00%<br>H220 H304 H335 H411, >=1 Aggregated, non-evaluated, H code H372 / 868-77-9 / 1,00%<br>Hydroxypropylmethacrylat / 77813-02-1 / 60,00%<br>Isopropylbenzene hydroperoxide / 80-15-9 / 10,00%<br>Methacrylic acid / 79-41-4 / 1,00% | 27813-02-1, 868-77-9                 | GH505 (Corrosive), GH507 (Harmful)                                                      | H317, H318, H335                        | P260, P280, P301+P330+P331, P303+P361+P353, P305+P351+P338, P310                                                                                          |            |           |                  |     |                                                                                                                                                    |     |                                                                                      |                               |                    | NVM-potential SVHC | Danger               | Liquid           | 30,0               | 20        |                                             |                           | C                              | D             | D                                                                                            | D                                                                                  | Technische Dienst    |                 |
| 1592056                   | Bromotop                                  |                                                              | 2-Bromo-2-Nitro-1, 3-Propanediol / 52-51-7 / 99,00%                                                                                                                                                                                                                                                                                                                                          |                                      | GH505 (Corrosive), GH507 (Harmful), GH509 (Environmental hazard)                        | H302+H312, H315, H318, H335, H400       | P261, P271, P273, P280                                                                                                                                    |            |           |                  |     |                                                                                                                                                    |     |                                                                                      |                               |                    | Danger             | Solid                |                  |                    |           |                                             | Coarse dust               | C                              | B             | B                                                                                            | D                                                                                  |                      | ICLIP Terneuzen |
| 1593705                   | Dibromomethane (DBM)                      | 74-95-3                                                      | Dibromomethaan / 74-95-3 / 99,00%                                                                                                                                                                                                                                                                                                                                                            |                                      | GH507 (Harmful)                                                                         | H332, H412                              | P261, P271, P273, P304+P340, P312, P501                                                                                                                   |            | 2664      |                  |     |                                                                                                                                                    | 60  |                                                                                      |                               | Warning            | Liquid             | 4.700,0              | 20               |                    |           | B                                           | -                         | -                              | B             |                                                                                              | ICLIP Terneuzen                                                                    |                      |                 |
| 1593701                   | n-Decylbromide                            |                                                              | 1-Bromododecaan / 112-29-8 / 98,00%                                                                                                                                                                                                                                                                                                                                                          |                                      | GH507 (Harmful)                                                                         | H315, H317                              | P261, P273, P280, P309+P352, P333+P313, P362+P364                                                                                                         |            |           |                  |     |                                                                                                                                                    |     |                                                                                      |                               | Warning            | Liquid             | 5.332,0              | 20               |                    |           | C                                           | D                         | D                              | C             |                                                                                              | ICLIP Terneuzen                                                                    |                      |                 |

| Materialnummer ID (SIPID) | Product name                                                        | Cas nummer | Composition                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Gevaarcomponent                                   | Gevaar pictogrammen CLP/GHS                            | Gevaarsaanduiding                        | Voorsorgmaatregel                                                                        | ADR Klasse     | UN-Nummer | Verpakkingsgroep | CMR indicatoren | Sev                                                                     | Reach registratie     | Gevaarlijst        | Signalwoord                                                                | Physical form     | Vapour pressure (Pa) | Temperature (°C) | Boiling Point (°C) | Dustiness | Gevaarsklasse inademing  | Gevaarsklasse huid lokaal | Gevaarsklasse huid opname/ogen | Gevaarsklasse | Productie proces | Gebruik op locaties door risico beoordelingen                                   |                                                                      |
|---------------------------|---------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|--------------------------------------------------------|------------------------------------------|------------------------------------------------------------------------------------------|----------------|-----------|------------------|-----------------|-------------------------------------------------------------------------|-----------------------|--------------------|----------------------------------------------------------------------------|-------------------|----------------------|------------------|--------------------|-----------|--------------------------|---------------------------|--------------------------------|---------------|------------------|---------------------------------------------------------------------------------|----------------------------------------------------------------------|
| 6532426                   | Loctite 603                                                         |            | (1,1-dimethylethylfencylhexyl methacrylate(4-)/ 46729-07-1 / 50,00%<br>Acetyl-2-fenylhydrazine(1-)/ 114-83-0 / 1,00%<br>Acrylic acid / 79-10-7 / 10,00%<br>Hydroxypropylmethacrylaat / 27813-02-1 / 10,00%<br>Isopropylbenzene hydroperoxide / 80-19-9 / 1,00%<br>Methacrylic acid / 79-41-4 / 1,00%<br>Methyltrimethylene dimethacrylate(1-)/ 1189-08-8 / 20,00%<br>Polyoxyethylene monooctyl phenyl ether / 9036-19-5 / 3,00%<br>Triethylene glycol dimethacrylate / 109-16-0 / 1,00%         | 9036-19-5<br>9036-19-5<br>9036-19-5<br>27813-02-1 | GH05 (Corrosive), GH07 (Harmful)                       | H315, H317, H318, H335, H412             | P261, P273, P280, P302+P352, P333+P313<br>P305+P351+P338, P333+P313                      |                |           |                  |                 |                                                                         |                       |                    | Dutch SVHC list<br>REACH-Authorisation<br>REACH-SVHC<br>RHM-potential SVHC | Danger            | Liquid               | 30.000,0         | 20                 |           |                          | C                         | D                              | D             | D                |                                                                                 | Technische Dienst                                                    |
| 1639929                   | Ferrolit 560                                                        | 497-18-7   | Carbonic dihydride / 497-18-7 / 10,00%                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                   | GH07 (Harmful)                                         | H317, H412                               | P261, P273, P280, P302+P352, P333+P313                                                   | Not classified |           | None             |                 |                                                                         | 01-2119965166-31-xxxx |                    | Warning                                                                    | Liquid            | 2.300,0              | 20               | 100                |           | C                        | D                         | D                              | B             | Stoomketel       | Ecologie & Utilities                                                            |                                                                      |
| 1590605                   | p-Benzquinone                                                       |            | Quinone / 106-51-4 / 100%                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                   | GH06 (Toxic), GH09 (Environmental hazard)              | H301+H331, H315, H319, H335, H410        | P261, P273, P301+P310, P304+P340, P311, P330, P403+P233, P501                            |                | 2587      | II               |                 |                                                                         |                       |                    | Danger                                                                     | Solid             |                      |                  |                    | Fine dust | C                        | B                         | C                              | C             | P100             | ICL-IP Terneuzen                                                                |                                                                      |
| 1630116                   | Hyprox 500                                                          |            | Waterstofperoxide / 7722-84-1 / 100%                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                   | GH05 (Corrosive), GH07 (Harmful)                       | H302, H315, H318, H335, H412             | P261, P280, P301+P312, P302+P352, P304+P340, P305+P351+P338                              |                |           |                  |                 |                                                                         |                       |                    | Danger                                                                     | Liquid            | 300,0                | 20               |                    |           | C                        | B                         | B                              | D             |                  | ICL-IP Terneuzen<br>Maintanifam                                                 |                                                                      |
| 1592049                   | Biobrom C -103 L                                                    | 10222-01-2 | 2,2-dibroom-3-nitropropionamide / 10222-01-2 / 20,00%<br>di-propylene glycol / 25265-71-8 / 60,00%<br>Water / 7732-18-5 / 20,00%                                                                                                                                                                                                                                                                                                                                                                | 10222-01-2                                        | GH05 (Corrosive), GH07 (Harmful)                       | H302, H317, H318                         | P261, P273, P301+P312, P302+P352, P305+P351+P338, P310, P330, P333+P313                  |                |           |                  | 3082            |                                                                         | 90                    | Dutch SVHC list    | Danger                                                                     | Liquid            | 2.267,0              | 20               |                    |           | C                        | D                         | D                              | D             | DBN/Ain DPG      |                                                                                 |                                                                      |
| 1592057                   | Ethylene bromochloride                                              |            | Water / 7732-18-5 / 20,00%<br>1,2-Dibrommethaan / 106-93-4 / 4,00%<br>Ethylene bromochloride107-04-0 / 107-04-0 / 96,00%                                                                                                                                                                                                                                                                                                                                                                        | 106-93-4                                          | GH06 (Toxic), GH08 (Health Hazard)                     | H301, H311, H331, H350, H412             | P261, P280, P301+P330+P331, P302+P352, P304+P340, P305+P351+P338, P310                   |                |           |                  |                 | C                                                                       |                       |                    | Dutch SVHC list                                                            | Danger            | Liquid               | 5.333,0          | 20                 |           |                          | E                         | E                              | E             | E                |                                                                                 | ICL-IP Terneuzen                                                     |
| 1592040                   | Biobrom Aqueous Suspension                                          |            | 2,2-dibroom-3-nitropropionamide / 10222-01-2 / 20,00%<br>sodium bromide / 7647-15-6 / 35,00%<br>Water / 7732-18-5 / 45,00%                                                                                                                                                                                                                                                                                                                                                                      | 10222-01-2                                        | GH05 (Corrosive), GH07 (Harmful)                       | H302, H317, H318                         | P261, P280, P301+P330+P331, P302+P352, P305+P351+P338, P310, P333+P313                   |                |           |                  |                 |                                                                         |                       |                    | Dutch SVHC list                                                            | Danger            | Liquid               | 2.300,0          | 20                 |           |                          | C                         | D                              | D             | D                | Vervallen blend DBNFA in NaBr opl.                                              | ICL-IP Terneuzen                                                     |
| 1595488                   | 2-Ethylhexanol                                                      |            | 2-Ethylhexanol / 104-76-7 / 100%                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                   | GH07 (Harmful)                                         | H315, H319, H332, H335                   | P261, P280, P302+P352, P304+P340, P305+P351+P338, P312                                   |                |           |                  |                 |                                                                         |                       |                    | Warning                                                                    | Liquid            | 3,0                  | 20               |                    |           | B                        | B                         | -                              | C             |                  |                                                                                 |                                                                      |
| 1642468                   | Kuriverter EC-5420                                                  |            | 2,2-dibroom-3-nitropropionamide / 10222-01-2 / 25,00%<br>dibromacetonitril / 3292-43-5 / 3,00%                                                                                                                                                                                                                                                                                                                                                                                                  | 10222-01-2                                        | GH05 (Corrosive), GH07 (Harmful)                       | H302+H332, H314, H317, H412              | P261, P280, P304+P340, P305+P351+P338, P310                                              | 8              | 3265      | III              |                 |                                                                         | 80                    | Dutch SVHC list    | Danger                                                                     | Liquid            | 2.300,0              | 20               | 70                 |           | D                        | D                         | D                              | D             | Utilities        | Ecologie & Utilities                                                            |                                                                      |
| 1595501                   | Phthalic Anhydride flakes                                           |            | Phthalic anhydride / 85-44-9 / 100%                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                   | GH05 (Corrosive), GH07 (Harmful), GH08 (Health Hazard) | H302, H315, H317, H318, H334, H335       | P261, P280, P304+P340, P305+P351+P338, P310, P332+P313                                   |                |           |                  |                 |                                                                         |                       |                    | Danger                                                                     | Solid             |                      |                  |                    |           | Granules/gran s/flakes   | D                         | D                              | D             | D                |                                                                                 | ICL-IP Terneuzen                                                     |
| 1642415                   | Manganese Oxide                                                     |            | Manganese oxide / 1344-43-0 / 100%                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                   | GH06 (Toxic)                                           | H311, H315, H319, H335                   | P261, P280, P305+P351+P338, P312                                                         | Not classified |           | None             |                 |                                                                         |                       |                    | Danger                                                                     | Solid             |                      |                  |                    |           | Fine dust                | B                         | B                              | C             | C                |                                                                                 | ICL-IP Terneuzen<br>Maintanifam<br>Packing                           |
| 1592074                   | CUROX CC-DC                                                         |            | 1,1-(1,1,2,2-tetramethylethyleen)di-benzeen / 1889-67-4 / 95,00%                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                   | GH07 (Harmful)                                         | H317                                     | P261, P280, P333+P313, P501                                                              |                |           |                  |                 |                                                                         |                       |                    | Warning                                                                    | Solid             |                      |                  |                    |           | Granules/gran C s/flakes | D                         | D                              | B             |                  |                                                                                 |                                                                      |
| 1633235                   | 10-(2, 5-Dihydroxyphenyl)-10H-9-oxa-10-phosphaphenanthrene-10-oxide |            | Benzenediol, 2-(6-oxido-6H-dibenz[c,e][1,2]oxaphosphorin-6-yl)-[1,4-] / 99208-50-1 / 100%                                                                                                                                                                                                                                                                                                                                                                                                       |                                                   | GH07 (Harmful)                                         | H302, H315, H319, H335                   | P261, P305+P351+P338                                                                     | Not classified |           | None             |                 |                                                                         |                       |                    | Warning                                                                    | Solid             |                      |                  |                    |           | Fine dust                | B                         | B                              | B             | C                | P100                                                                            | GBC Gebouw<br>Laboratorium                                           |
| 1639926                   | Cetamine F360                                                       |            | (4-(9-iododecyl)propaan-1,3-diamine / 7173-62-8 / 2,50%<br>Amines, tallow alkyl, ethoxylated / 61791-26-2 / 1,00%                                                                                                                                                                                                                                                                                                                                                                               |                                                   | GH07 (Harmful)                                         | H315, H319                               | P262, P264, P280, P302+P352, P305+P351+P338, P321, P332+P313, P337+P313                  |                |           |                  |                 |                                                                         |                       |                    | Warning                                                                    | Liquid            | 2.300,0              | 20               |                    |           | B                        | B                         | -                              | C             |                  |                                                                                 |                                                                      |
| 1590596                   | Phenol, synthetisch                                                 |            | Phenol / 108-95-2 / 100%                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                   | GH05 (Corrosive), GH06 (Toxic), GH08 (Health Hazard)   | H301, H311, H314, H331, H341, H373, H411 | P262, P273, P280, P302+P352, P305+P351+P338, P307+P310, P405, P501                       |                |           |                  | M               | Mutagenic CLP suspected: H341                                           |                       |                    | Danger                                                                     | Liquid            | 300,0                | 20               |                    |           | D                        | D                         | D                              | D             |                  | ICL-IP Terneuzen<br>Technische Dienst                                           |                                                                      |
| 1630108                   | Zinkacetaat                                                         | 5970-45-6  | Zink acetaat / 5970-45-6 / 100%                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                   | GH07 (Harmful), GH09 (Environmental hazard)            | H302, H411                               | P264, P270, P273, P301+P312, P330, P331, P501                                            | 9              | 3077      | 3                |                 |                                                                         | 90                    |                    | Warning                                                                    | Solid             |                      |                  |                    |           | Coarse dust              | B                         | -                              | B             | B                | P25 proces                                                                      | 3. Standaardien                                                      |
| 6599388                   | Borch Kat 0243                                                      |            | Bismuth(3+) neodecanoate / 34364-26-6 / 35,00%<br>Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics / 00-00-0 / 25,00%<br>Lithium neodecanoate / 27253-30-1 / 20,00%                                                                                                                                                                                                                                                                                                         |                                                   | GH05 (Corrosive), GH07 (Harmful)                       | H302, H315, H318                         | P264, P270, P280, P301+P312, P302+P352, P305+P351+P338, P310, P332+P313, P362+P364, P501 | Not classified |           | None             |                 |                                                                         |                       |                    | Danger                                                                     | Liquid            | 1.500,0              | 20               | 180                |           | C                        | B                         | B                              | D             | MD40-09          |                                                                                 |                                                                      |
| 1630184                   | Natriumbisulfiet 40%                                                |            | Natriumbisulfit / 7631-90-5 / 40,00%                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                   | GH07 (Harmful)                                         | H302                                     | P264, P270, P301+P312, P330, P501                                                        |                |           |                  |                 |                                                                         |                       |                    | Warning                                                                    | Liquid            | 2.399,0              | 20               |                    |           | B                        | -                         | B                              | B             |                  | Maintanifam                                                                     |                                                                      |
| 6532673                   | OKS 250 (versie 2018)                                               |            | Amines, n-tallow alkyl(trimethyleen)-, oxides / 61791-53-5 / 10,00%<br>Calciumhydroxide / 1305-62-0 / 20,00%<br>Distillates (petroleum), solvent-refined heavy paraffinic / 64741-89-5 / 20,00%<br>Distillates (petroleum), solvent-refined light paraffinic / 64741-89-5 / 25,00%<br>Polysulfides, di-tert-dodecyl / 68425-15-0 / 1,00%<br>Zinc bis[di(sulfo-2-ethylhexyl)] bis(dithiophosphate) / 4259-15-8 / 2,50%                                                                           | 64741-88-4                                        | GH05 (Corrosive), GH09 (Environmental hazard)          | H315, H318, H410                         | P264, P273, P280, P305+P351+P338, P310, P332+P313                                        |                |           |                  |                 |                                                                         |                       |                    | Dutch SVHC list                                                            | Warning<br>Danger | Liquid<br>Liquid     | 2.399,0<br>0,1   | 20<br>20           |           |                          | B<br>C                    | -<br>B                         | B<br>D        |                  |                                                                                 | Maintanifam<br>Technische Dienst                                     |
| 6532869                   | DORMER Schneidol M200 Nr.1                                          |            | Distillates (petroleum), solvent-refined light paraffinic / 64741-89-5 / 25,00%<br>Polysulfides, di-tert-dodecyl / 68425-15-0 / 1,00%<br>Zinc bis[di(sulfo-2-ethylhexyl)] bis(dithiophosphate) / 4259-15-8 / 2,50%                                                                                                                                                                                                                                                                              | 64741-89-5<br>4259-15-8                           | GH07 (Harmful)                                         | H304, H318, H319, H411, H412, H413       | P264, P273, P280, P305+P351+P338, P337+P313                                              | Not classified |           | None             |                 |                                                                         |                       |                    | Dutch SVHC list<br>RHM-potential SVHC                                      | Warning           | Liquid               | 1,0              | 20                 |           |                          | C                         | B                              | -             | D                | TD                                                                              | Technische Dienst                                                    |
| 1639897                   | NACOL 14-98                                                         |            | dodecaan-1-ol / 112-53-8 / 1,50%<br>Tetradecaan(1-)/ 112-12-1 / 99,50%                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                   | GH07 (Harmful), GH09 (Environmental hazard)            | H319, H410                               | P264, P273, P280, P305+P351+P338, P337+P313, P501                                        |                |           |                  |                 |                                                                         |                       |                    | Warning                                                                    | Solid             |                      |                  |                    |           | Fine dust                | B                         | A                              | -             | C                |                                                                                 | 3. Standaarden<br>ICL-IP Terneuzen                                   |
| 1590587                   | Nacol 8-99                                                          |            | octaan-1-ol / 111-87-5 / 100%                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                   | GH07 (Harmful)                                         | H319, H412                               | P264, P273, P280, P337+P313, P391, P501                                                  |                |           |                  |                 |                                                                         |                       |                    | Warning                                                                    | Liquid            | 100.000,0            | 20               |                    |           | B                        | A                         | -                              | C             |                  | ICL-IP Terneuzen                                                                |                                                                      |
| 1592085                   | NACOL 10-99                                                         |            | decaan-1-ol / 112-90-1 / 99,00%<br>dodecaan-1-ol / 112-53-8 / 0,50%                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                   | GH07 (Harmful)                                         | H319, H412                               | P264, P273, P280, P337+P313, P391, P501                                                  |                |           |                  |                 |                                                                         |                       |                    | Warning                                                                    | Liquid            | 1,0                  | 20               |                    |           | B                        | A                         | -                              | C             |                  | GBC Gebouw<br>ICL-IP Terneuzen<br>Laboratorium                                  |                                                                      |
| 1632092                   | NACOL 12-99 Alcohol                                                 |            | dodecaan-1-ol / 112-53-8 / 99,00%                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                   | GH09 (Environmental hazard)                            | H320, H400, H411                         | P264, P273, P305+P351+P338, P337+P313, P391, P501                                        |                |           |                  |                 |                                                                         |                       |                    | Warning                                                                    | Liquid            | 13,3                 | 20               |                    |           | B                        | A                         | -                              | C             |                  | GBC Gebouw<br>ICL-IP Terneuzen<br>Laboratorium<br>Logistiek<br>Tankenpark/field |                                                                      |
| 1632088                   | Lauryl bromide                                                      | 143-15-7   | Bromododecaan(1-)/ 143-15-7 / 98,00%                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                   | GH07 (Harmful)                                         | H315                                     | P264, P280, P302+P352, P332+P313                                                         |                |           |                  |                 |                                                                         |                       |                    | Warning                                                                    | Liquid            | 2.300,0              | 20               |                    |           | B                        | B                         | -                              | C             | Allyls proces    | Packing                                                                         |                                                                      |
| 1592081                   | n-Cetyl bromide                                                     |            | 1-Bromohexadecane (Cetyl Bromide) / 112-82-3 / 95,60%                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                   | GH07 (Harmful)                                         | H315                                     | P264, P280, P302+P352, P332+P313                                                         |                |           |                  |                 |                                                                         |                       |                    | Warning                                                                    | Liquid            | 133,0                | 20               |                    |           | B                        | B                         | -                              | C             |                  | ICL-IP Terneuzen                                                                |                                                                      |
| 1595530                   | Imperifloc 505                                                      |            | Alcoholen, C12-14, geethoxyleerd / 68439-50-9 / 4,00%<br>Alcoholen, C12-16, geethoxyleerd / 68551-12-2 / 4,00%<br>alkanen, iso-alkanen, cyclo-alkanen, <0,03% aromatische koolwaterstoffen / 00-00-0 / 25,00%<br>Citroenzuur / 77-92-9 / 3,00%<br>Koolwaterstoffen C12-C15, n-alkanen, iso-alkanen, cyclo-alkanen, <2% aromatische koolwaterstoffen / 00-00-0 / 25,00%<br>Koolwaterstoffen, C13-C15, n-alkanen, iso-alkanen, cyclo-alkanen, <2% aromatische koolwaterstoffen / 00-00-0 / 25,00% |                                                   | GH07 (Harmful)                                         | H315                                     | P264, P280, P302+P352, P332+P313, P362                                                   |                |           |                  |                 |                                                                         |                       |                    |                                                                            | Warning           | Liquid               | 2.300,0          | 20                 |           |                          | B                         | B                              | -             | C                |                                                                                 | Ecologie & Utilities                                                 |
| 1630180                   | PR-513                                                              |            | Dibromonooxepentyl glycol / 3296-90-0 / 0,60%<br>Tribromonooxepentyl alcohol / 36485-57-5 / 97,00%                                                                                                                                                                                                                                                                                                                                                                                              | 3296-90-0                                         | GH07 (Harmful)                                         | H319                                     | P264, P280, P305+P351+P338, P337+P313                                                    |                |           |                  | CM              | Carcinogenic component: 3296-90-0<br><br>Mutagenic component: 3296-90-0 |                       |                    | Dutch SVHC list                                                            | Warning           | Solid                |                  |                    |           |                          | Granules/gran B s/flakes  | A                              | -             | C                |                                                                                 | 3. Standaarden<br>GBC Gebouw<br>ICL-IP Terneuzen<br>Packing          |
| 1633286                   | Natriumcarbonaat Licht                                              |            | Natriumcarbonaat / 497-19-8 / 100%                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                   | GH07 (Harmful)                                         | H319                                     | P264, P280, P305+P351+P338, P337+P313                                                    |                |           |                  |                 |                                                                         |                       |                    | Warning                                                                    | Solid             |                      |                  |                    |           | Coarse dust              | B                         | A                              | -             | C                |                                                                                 | ICL-IP Terneuzen<br>Laboratorium                                     |
| 1633285                   | Natriumthiosulfaat Pro Photo                                        |            | Sodium thiosulfate pentahydrate / 10102-17-7 / 99,00%                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                   | GH07 (Harmful)                                         | H319                                     | P264, P280, P305+P351+P338, P337+P313                                                    |                |           |                  |                 |                                                                         |                       |                    | Danger                                                                     | Solid             |                      |                  |                    |           | Coarse dust              | B                         | A                              | -             | C                |                                                                                 | 3. Standaarden<br>ICL-IP Terneuzen<br>Solid's 3 gebouw<br>GBC Gebouw |
| 1595537                   | Potassium bromide                                                   |            | Kalium bromide / 7758-02-3 / 99,50%                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                   | GH07 (Harmful)                                         | H319                                     | P264, P280, P305+P351+P338, P337+P313                                                    |                |           |                  |                 |                                                                         |                       |                    | Warning                                                                    | Solid             |                      |                  |                    |           | Granules/gran B s/flakes | B                         | A                              | -             | C                |                                                                                 | ICL-IP Terneuzen                                                     |
| 1642448                   | Vitec 3000                                                          | 6419-19-8  | Ammooniumbromide / 6419-19-8 / 10,00%                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                   | GH07 (Harmful)                                         | H319                                     | P264, P280, P305+P351+P338, P337+P313                                                    | Not classified |           | None             |                 |                                                                         | 01-2119487988-08-xxxx |                    | Warning                                                                    | Liquid            | 2.300,0              | 20               |                    |           | B                        | A                         | -                              | C             |                  | Complexer additief<br>RO unit (AWWS),Nitrilotri(methyleertris(fosfonzuur))      | Productie                                                            |
| 6547263                   | Methylcyanoacetaat                                                  |            | Methyl cyanoacetate / 105-34-0 / 99,50%                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                   | GH07 (Harmful)                                         | H319                                     | P264, P280, P305+P351+P338, P337+P313                                                    | Not classified |           | None             |                 |                                                                         |                       |                    | Warning                                                                    | Liquid            | 10,0                 | 20               | 205                |           | B                        | A                         | -                              | C             |                  | Laboratorium                                                                    |                                                                      |
| 6547254                   | Potassium bromide 30%                                               |            | Kalium bromide / 7758-02-3 / 30,00%                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                   | GH07 (Harmful)                                         | H319                                     | P264, P280, P305+P351+P338, P337+P313                                                    | Not classified |           | None             |                 |                                                                         |                       |                    | Warning                                                                    | Liquid            | 2.300,0              | 20               |                    |           | B                        | A                         | -                              | C             |                  | GBC Gebouw<br>ICL-IP Terneuzen<br>Laboratorium                                  |                                                                      |
| 6547273                   | Ammonium bromide solution (37%)                                     | 12124-97-9 | Ammoniumbromide / 12124-97-9 / 37,00%                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 12124-97-9                                        | GH07 (Harmful)                                         | H319                                     | P264, P280, P305+P351+P338, P337+P313                                                    | Not classified |           | None             |                 |                                                                         | 01-2119931350-50-0000 | RHM-potential SVHC | Warning                                                                    | Liquid            | 2.300,0              | 20               |                    |           | B                        | A                         | -                              | C             | Ammoniumbromide  | ICL-IP Terneuzen<br>Laboratorium<br>Maintanifam<br>Packing<br>Tankenback/field  |                                                                      |
| 6547274                   | Ammonium bromide (100%) (eigen invoer) vast                         | 12124-97-9 | Ammoniumbromide / 12124-97-9 / 100%                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 12124-97-9                                        | GH07 (Harmful)                                         | H319                                     | P264, P280, P305+P351+P338, P337+P313                                                    |                |           |                  |                 |                                                                         | 01-2119931350-50-0000 | RHM-potential SVHC | Warning                                                                    | Liquid            | 2.300,0              | 20               |                    |           | dust                     | B                         | A                              | -             | C                | Ammoniumbromide                                                                 |                                                                      |
| 1574877                   | Ammonium bromide ??                                                 |            | Ammoniumbromide / 12124-97-9 / 99,50%                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 12124-97-9                                        | GH07 (Harmful)                                         | H319                                     | P264, P305+P351+P338, P337+P313                                                          |                |           |                  |                 |                                                                         |                       | RHM-potential SVHC | Warning                                                                    | Solid             |                      |                  |                    |           | Coarse dust              | B                         | A                              | -             | C                |                                                                                 | ICL-IP Terneuzen<br>Laboratorium                                     |
| 1632109                   | SBR983 (Poly(butadiëen-co-styreen)                                  |            | Benzene, ethenyl-, polymer with 1,3-butadiene / 9003-55-8 / 98,00%                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                   | H320                                                   |                                          | P264, P305+P351+P338, P337+P313                                                          |                |           |                  |                 |                                                                         |                       |                    |                                                                            |                   | Solid                |                  |                    |           | Coarse dust              | B                         | A                              | -             | C                |                                                                                 | Laboratorium<br>Packing<br>Solid's 5 gebouw<br>Packing               |
| 1590620                   | Aminopropylmorpholine (APM)                                         |            | Morpholinepropanamine(4-)/ 123-06-2 / 100%                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                   | GH05 (Corrosive), GH07 (Harmful)                       | H302, H314, H318                         | P270, P280, P302+P352, P305+P351+P338, P310, P405                                        |                |           |                  |                 |                                                                         |                       |                    | Danger                                                                     | Liquid            | 100,0                | 20               |                    |           | D                        | D                         | B                              | D             |                  |                                                                                 |                                                                      |
| 1593706                   | 2,4-dichlooracetoefenon                                             |            | 2,4-dichlooracetoefenon / 2234-16-4 / 99,00%                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                   | GH07 (Harmful)                                         | H302, H412                               | P273                                                                                     |                |           |                  |                 |                                                                         |                       |                    | Warning                                                                    | Liquid            | 2,9                  | 20               |                    |           | B                        | -                         | B                              | B             |                  | GCRumte                                                                         |                                                                      |
| 1590588                   | Octyl Bromide                                                       |            | 1-bromooctane / 111-83-1 / 99,00%                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                   | GH07 (Harmful), GH09 (Environmental hazard)            | H315, H319, H400                         | P273, P280, P302+P352, P305+P351+P338, P332+P313, P337+P313, P362+P364                   |                |           |                  |                 |                                                                         |                       |                    | Warning                                                                    | Liquid            | 45,3                 | 20               |                    |           | B                        | B                         | -                              | C             |                  | ICL-IP Terneuzen                                                                |                                                                      |
| 16398                     |                                                                     |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                   |                                                        |                                          |                                                                                          |                |           |                  |                 |                                                                         |                       |                    |                                                                            |                   |                      |                  |                    |           |                          |                           |                                |               |                  |                                                                                 |                                                                      |

| Product name (SIPID) | Product name                                                                     | Cas nummer             | Compositie                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Gevaarcomponent                                | Gevoarpictogrammen CLP/GHS                                                             | Gevaarsaanduiding                                                                                                                                                                                                                                                                                                                                                                                                                                        | Voorzorgmaatregel                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | ADR Klasse     | UN-Nummer | Verpakkingsgroep | CMR  | CMR indicatoren                                                  | Sev                             | Reach registratie     | Gevaarlijst                                          | Signaalwoord    | Physical form    | Vapour pressure (Pa) | Temperature (°C) | Boiling Point (°C) | Dustiness | Gevaarsklasse inademing         | Gevaarsklasse huid lokaal | Gevaarsklasse huid opname/ogen | Gevaarsklasse | Productie proces | Gebruik op locaties door risico beoordelingen                           |                                        |                   |
|----------------------|----------------------------------------------------------------------------------|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-----------|------------------|------|------------------------------------------------------------------|---------------------------------|-----------------------|------------------------------------------------------|-----------------|------------------|----------------------|------------------|--------------------|-----------|---------------------------------|---------------------------|--------------------------------|---------------|------------------|-------------------------------------------------------------------------|----------------------------------------|-------------------|
| 1630159              | FR-1524                                                                          |                        | Tetrabromobisfenol a / 79-94-7 / 99,00%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 79-94-7                                        | GH509 (Environmental hazard)                                                           | H410                                                                                                                                                                                                                                                                                                                                                                                                                                                     | P273, P391, P501                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                |           |                  |      |                                                                  |                                 |                       | Dutch SVHC list                                      | Warning         | Solid            |                      |                  |                    |           | Coarse dust                     | A                         | -                              | -             | B                |                                                                         | 3. Standaarden ICLIP Terneuzen Packing |                   |
| 1630079              | Zinkoxide                                                                        | 1314-13-2              | Zinkoxide / 1314-13-2 / 100%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                | GH509 (Environmental hazard)                                                           | H410                                                                                                                                                                                                                                                                                                                                                                                                                                                     | P273, P391, P501                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 9              | 3077      | 3                |      |                                                                  | 80                              | 01-2119463881-32-0011 |                                                      | Warning         | Solid            |                      |                  |                    |           | Fine dust                       | A                         | -                              | -             | B                | ZnBr proces                                                             | BRU gebouw ICLIP Terneuzen             |                   |
| 1632115              | IONOL CP                                                                         |                        | Cresol[2,6-di-(tert-butyl)-p-] / 128-37-0 / 99,90%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                | GH509 (Environmental hazard)                                                           | H410                                                                                                                                                                                                                                                                                                                                                                                                                                                     | P273, P391, P501                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                |           |                  |      |                                                                  |                                 |                       |                                                      | Warning         | Solid            |                      |                  |                    |           | Coarse dust                     | A                         | -                              | -             | B                |                                                                         | ICLIP Terneuzen Laboratorium Packing   |                   |
| 6532394              | Shell Gadus S5 V42P 2.5                                                          |                        | Naphthenic acids, zinc salts / 12001-85-3 / 2,40%<br>Zinkoxide / 1314-13-2 / 0,50%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                | H412                                                                                   | P273, P501                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Not classified |           | None             |      |                                                                  |                                 |                       |                                                      |                 | Solid            |                      |                  |                    |           | Solid granules/grain<br>yflakes | A                         | -                              | -             | B                | TD                                                                      |                                        |                   |
| 6532388              | Shell Spirax S2 ATF AX                                                           |                        | 1-(tert-dodecylthio)propan-2-ol / 67124-09-8 / 0,90%<br>Ethanol, 2,2'-iminobis-, n-tallow alkyl derivs. / 61791-44-4 / 0,24%<br>Interchangeable low viscosity base oil (<20,5 cst @40°C) * / 90-99-9 / 99,00%<br>methyl-dipropylcyanoacetate / 66546-92-7 / 99,50%                                                                                                                                                                                                                                                                                                                       |                                                | H412                                                                                   | P273, P501                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                |           |                  |      |                                                                  |                                 |                       |                                                      |                 | Liquid           | 0,5                  | 20               |                    |           | -                               | -                         | -                              | B             |                  | Technische Dienst                                                       |                                        |                   |
| 6547261              | MDPCA (= Methyl-dipropylcyanoacetate)                                            |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                | GH507 (Harmful)                                                                        | H302                                                                                                                                                                                                                                                                                                                                                                                                                                                     | P280                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Not classified |           | None             |      |                                                                  |                                 |                       |                                                      | Warning         | Liquid           | 2.300,0              | 20               | 234                |           | B                               | -                         | B                              | B             | MDPCA            | ICLIP Terneuzen                                                         |                                        |                   |
| 1595491              | Phosphorus Oxychloride                                                           |                        | Phosphorylchloride / 10025-87-3 / 100%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                | GH505 (Corrosive), GH506 (Toxic), GH508 (Health Hazard)                                | EUN014, EUN029, H302, H314, H330, H372                                                                                                                                                                                                                                                                                                                                                                                                                   | P280, P284, P301+P330+P331, P303+P361+P535, P304+P340, P305+P351+P338, P308+P313                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                |           |                  |      |                                                                  |                                 |                       |                                                      | Danger          | Liquid           | 4.000,0              | 20               |                    |           | D                               | D                         | D                              | D             |                  | ICLIP Terneuzen                                                         |                                        |                   |
| 1644632              | Iser(III)chloride oplossing 40%                                                  | 7705-08-0              | Iser (3e) chloride / 7705-08-0 / 40,00%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                | GH505 (Corrosive), GH507 (Harmful)                                                     | H290, H302, H315, H318                                                                                                                                                                                                                                                                                                                                                                                                                                   | P280, P301+P312, P302+P352, P305+P351+P338, P310                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 8              | 2582      | III              |      |                                                                  |                                 | 01-2119497998-05      |                                                      | Danger          | Liquid           | 2.300,0              | 20               |                    |           | C                               | B                         | B                              | D             |                  | Productie                                                               |                                        |                   |
| 6694120              | Nitric Acid 65% for analysis                                                     |                        | Zwavelzuur / 7664-33-9 / 70,00%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                | GH503 (Oxidising), GH505 (Corrosive), GH506 (Toxic)                                    | EUN071, H272, H290, H314, H331                                                                                                                                                                                                                                                                                                                                                                                                                           | P280, P301+P330+P331, P304+P340, P305+P351+P338, P308, P310                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 8              | 2031      | II               | C    | Carcinogenic component: 7664-93-9                                |                                 |                       |                                                      | Danger          | Liquid           | 9.400,0              | 20               | 121                |           | D                               | D                         | -                              | D             | Lab              |                                                                         |                                        |                   |
| 1633280              | Caustic Soda Lye 10-50% W/W                                                      |                        | Natriumhydroxide / 1310-73-2 / 50,00%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                | GH505 (Corrosive)                                                                      | H290, H314                                                                                                                                                                                                                                                                                                                                                                                                                                               | P280, P301+P330+P331, P305+P351+P338, P308, P310                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                |           |                  |      |                                                                  |                                 |                       |                                                      | Danger          | Liquid           | 1.400,0              | 20               |                    |           | D                               | D                         | -                              | D             |                  | ICLIP Terneuzen Logistiek Productie Ecology & Utilities                 |                                        |                   |
| 1639861              | Ferrolin 8625                                                                    |                        | Aminotrimethyleenfosforzuur / 6419-19-8 / 2,50%<br>Sulfaminezuur / 5329-14-6 / 25,00%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                | GH507 (Harmful)                                                                        | H315, H319                                                                                                                                                                                                                                                                                                                                                                                                                                               | P280, P302+P352, P305+P351+P338, P332+P313, P337+P313                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 8              | 3264      | II               |      |                                                                  |                                 |                       |                                                      | Warning         | Liquid           | 2.300,0              | 20               |                    |           | B                               | B                         | -                              | C             | Utilities        |                                                                         |                                        |                   |
| 1592069              | Calcium Bromide Brine                                                            | 7789-41-5              | calcium bromide / 7789-41-5 / 52,00%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                | GH505 (Corrosive)                                                                      | H318                                                                                                                                                                                                                                                                                                                                                                                                                                                     | P280, P305+P351+P338, P310                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                |           |                  |      |                                                                  |                                 | 01-2119490040-51-0000 |                                                      | Danger          | Liquid           | 2.300,0              | 20               |                    |           | C                               | B                         | -                              | D             |                  | GRG Gebouw Laboratorium Packing                                         |                                        |                   |
| 1633254              | Natrium Bromide tot ongeveer 35-45% in alkalisch, met 0,7% isopropanol en toluen |                        | Ammoniak / 7664-41-7 / 2,00%<br>natrium bromide / 7647-15-6 / 45,00%<br>Natriumhydroxide / 1310-73-2 / 2,00%<br>Propanol(2-) / 67-63-0 / 1,00%<br>Toluene / 108-88-3 / 2,00%<br>1,2-epoxybutaan / 106-98-7 / 0,49%<br>Allyl bromide / 106-95-6 / 98,00%                                                                                                                                                                                                                                                                                                                                  |                                                | GH505 (Corrosive)                                                                      | H314                                                                                                                                                                                                                                                                                                                                                                                                                                                     | P280, P305+P351+P338, P310, P351, P361, P405+P233, P501                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                |           |                  | R    | Reprotoxic component: 108-88-3                                   |                                 |                       |                                                      | Danger          | Liquid           | 2.300,0              | 20               |                    |           | D                               | D                         | -                              | D             |                  | ICLIP Terneuzen Productie                                               |                                        |                   |
| 1590618              | Allyl bromide                                                                    |                        | 1,2-epoxybutaan / 106-98-7 / 0,49%<br>Allyl bromide / 106-95-6 / 98,00%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                | GH502 (Flammable), GH506 (Toxic), GH509 (Environmental hazard)                         | H225, H301, H400                                                                                                                                                                                                                                                                                                                                                                                                                                         | P301+P310, P303+P361+P353, P330, P331                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                |           |                  |      |                                                                  |                                 |                       |                                                      | Danger          | Liquid           | 15.000,0             | 20               |                    |           | C                               | -                         | C                              | B             |                  | Laboratorium                                                            |                                        |                   |
| 1592051              | 1-Bromo-2-ethylhexane                                                            |                        | 1-Bromo-2-ethylhexane / 18908-66-2 / 98,00%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                | GH507 (Harmful)                                                                        | H302, H315, H319                                                                                                                                                                                                                                                                                                                                                                                                                                         | P301+P312, P302+P352, P305+P351+P338                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                |           |                  |      |                                                                  |                                 |                       |                                                      | Warning         | Liquid           | 29,0                 | 20               |                    |           | B                               | B                         | B                              | C             |                  |                                                                         |                                        |                   |
| 1590571              | 4-Bromo-1,2-dichlorobenzene                                                      |                        | 4-Bromo-1,2-dichlorobenzene / 18282-59-2 / 98,00%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                | GH507 (Harmful), GH509 (Environmental hazard)                                          | H302, H315, H317, H411                                                                                                                                                                                                                                                                                                                                                                                                                                   | P301+P312, P302+P352, P330, P333+P313                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                |           |                  |      |                                                                  |                                 |                       |                                                      | Warning         | Liquid           | 21,0                 | 20               |                    |           | C                               | D                         | D                              | C             |                  | GRG Gebouw ICLIP Terneuzen Packing                                      |                                        |                   |
| 1578875              | 1,6-dibromohexane                                                                | 629-03-8               | 1,6-dibromohexane / 629-03-8 / 98,00%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                | GH507 (Harmful), GH509 (Environmental hazard)                                          | H302, H317, H411                                                                                                                                                                                                                                                                                                                                                                                                                                         | P301+P312, P302+P352, P330, P333+P313, P391                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 9              | 3082      | 3                |      |                                                                  |                                 |                       |                                                      | Warning         | Liquid           | 13,0                 | 20               | 243                |           | C                               | D                         | D                              | B             | Dibromohexaan    | ICLIP Terneuzen                                                         |                                        |                   |
| 1595481              | Ethyl-2-bromobutyrate                                                            |                        | Ethyl-2-bromobutyrate / 533-68-6 / 98,00%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                | GH502 (Flammable), GH507 (Harmful)                                                     | H226, H302, H317                                                                                                                                                                                                                                                                                                                                                                                                                                         | P301+P312, P303+P361+P353, P330, P333+P313                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                |           |                  |      |                                                                  |                                 |                       |                                                      | Warning         | Liquid           | 1.600,0              | 20               |                    |           | C                               | D                         | D                              | B             |                  |                                                                         |                                        |                   |
| 1590689              | 4-Bromoanisole                                                                   |                        | 4-bromoanisole / 104-92-7 / 98,00%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                | GH507 (Harmful)                                                                        | H315                                                                                                                                                                                                                                                                                                                                                                                                                                                     | P302+P352, P305+P351+P338, P332+P313, P337+P313                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                |           |                  |      |                                                                  |                                 |                       |                                                      | Warning         | Liquid           | 20,0                 | 20               |                    |           | B                               | B                         | -                              | C             |                  | GRG Gebouw ICLIP Terneuzen Laboratorium Logistiek Maintanifam Productie |                                        |                   |
| 1639851              | Stikstof, samengesteld                                                           |                        | Stikstof / 7727-37-9 / 100%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                | GH504 (Gas under pressure)                                                             | H280                                                                                                                                                                                                                                                                                                                                                                                                                                                     | P403                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                |           |                  |      |                                                                  |                                 |                       |                                                      | Warning         | Gas              | 2.300,0              | 20               |                    |           | -                               | -                         | -                              | B             |                  |                                                                         |                                        |                   |
| 6533166              | Tangit PE/PP/PB/PVDF Reinigingsoplossing                                         |                        | Ethanol / 64-17-5 / 80,00%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                | GH502 (Flammable)                                                                      | H224                                                                                                                                                                                                                                                                                                                                                                                                                                                     | P210, P210, P301 + P310, P271, P404 + P403                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                |           |                  | CR   | Carcinogenic component: 64-17-5<br>Reprotoxic component: 64-17-5 |                                 |                       |                                                      |                 | Liquid           | 5.800,0              | 20               |                    |           | A                               | -                         | -                              | B             |                  | Technische Dienst                                                       |                                        |                   |
| 6533062              | Aldrox 9D18 ( Aerosol )                                                          |                        | Aceton / 67-64-1 / 100%<br>Butaan (bevatend < 0,1 % butadieen (203-450-8)) / 106-97-8 / 0,0000100%<br>Propan / 74-98-6 / 0,0000100%<br>Propanol(2-) / 67-63-0 / 30,00%<br>Tolue / 14802-36-6 / 30,00%                                                                                                                                                                                                                                                                                                                                                                                    | 106-97-8                                       | GH502 (Flammable), GH507 (Harmful)                                                     | H224, H319, H314, H336                                                                                                                                                                                                                                                                                                                                                                                                                                   | P210, P260, P262, P305 + P351 + P338, P280, P271                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                | 2         | 1950             | None |                                                                  |                                 |                       |                                                      | Dutch SVHC list |                  | Liquid               | 24.600,0         | 20                 | 56        |                                 | A                         | B                              | A             | C                | TD                                                                      | Technische Dienst                      |                   |
| 6532406              | Loctite 401 PRISM INSTANT ADHESIVE                                               |                        | Ethyl cyanoacrylate / 7085-85-0 / 60,00%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                | GH507 (Harmful)                                                                        | H319, H335, H315                                                                                                                                                                                                                                                                                                                                                                                                                                         | P302, P260, P262, P305 + P351 + P338, P302 + P352, P280, P301 + P310                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                |           |                  |      |                                                                  |                                 |                       |                                                      |                 | Liquid           | 21,0                 | 20               |                    |           | C                               | B                         | -                              | C             |                  | Technische Dienst                                                       |                                        |                   |
| 6532506              | Metaflux 70-56 Edelstahl-Spray                                                   |                        | Aceton / 67-64-1 / 30,00%<br>Solvent naphtha (petroleum), light arom. / 64742-95-6 / 20,00%<br>Xyleen, alta (somenen) / 1330-20-7 / 12,50%<br>Distillates (petroleum), hydrotreated heavy naphthenic / 64742-52-5 / 1,00%<br>Distillates (petroleum), hydrotreated heavy paraffinic / 64742-54-7 / 3,00%<br>Distillates (petroleum), hydrotreated light / 64742-47-8 / 62,00%<br>Distillates (petroleum), solvent-dewaxed heavy paraffinic / 64742-65-0 / 9,00%<br>Distillates (petroleum), solvent-refined heavy paraffinic / 64741-88-4 / 9,00%<br>Koolstofdioxide / 1324-39-8 / 2,00% | 64742-95-6                                     | GH502 (Flammable)                                                                      | H336                                                                                                                                                                                                                                                                                                                                                                                                                                                     | P102, P260, P501, P271, P403                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                |           |                  |      | R                                                                | Reprotoxic component: 1330-20-7 |                       |                                                      |                 | Dutch SVHC list  |                      | Liquid           | 480.000,0          | 20        |                                 |                           | A                              | -             | A                | B                                                                       |                                        | Technische Dienst |
| 6532693              | MOLYKOTE(R) SUPERGLISS SPRAY                                                     |                        | Distillates (petroleum), hydrotreated heavy naphthenic / 64742-52-5 / 1,00%<br>Distillates (petroleum), hydrotreated heavy paraffinic / 64742-54-7 / 3,00%<br>Distillates (petroleum), hydrotreated light / 64742-47-8 / 62,00%<br>Distillates (petroleum), solvent-dewaxed heavy paraffinic / 64742-65-0 / 9,00%<br>Distillates (petroleum), solvent-refined heavy paraffinic / 64741-88-4 / 9,00%<br>Koolstofdioxide / 1324-39-8 / 2,00%                                                                                                                                               | 64741-88-4, 64742-52-5, 64742-54-7, 64742-65-0 | H314                                                                                   | P260, P262, P271                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                |           |                  |      |                                                                  |                                 |                       |                                                      |                 | Dutch SVHC list  |                      | Liquid           | 300,0              | 20        |                                 |                           | A                              | B             | -                | B                                                                       |                                        | Technische Dienst |
| 1615781              | 1,6-Dibromohexane                                                                | 629-03-8               | 1,6-dibromohexane / 629-03-8 / 98,00%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                | GH507 (Harmful)                                                                        | H332, H315, H315                                                                                                                                                                                                                                                                                                                                                                                                                                         | P305 + P351 + P338, P280                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 9              | 3082      | 3                |      |                                                                  |                                 |                       |                                                      |                 | Liquid           | 13,3                 | 20               |                    |           | B                               | B                         | B                              | C             |                  | ICLIP Terneuzen                                                         |                                        |                   |
| 1595503              | Fyrol CEF                                                                        |                        | tris(2-chloroethyl)fosfaat / 115-96-8 / 99,00%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 115-96-8<br>115-96-8<br>115-96-8               | N (Dangerous for the environment), T (Toxic)                                           | H332, H350, H411, H350                                                                                                                                                                                                                                                                                                                                                                                                                                   | P314, P201, P273                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                |           |                  | R    | Reprotoxic component: 115-96-8                                   |                                 |                       | Dutch SVHC list<br>REACH-Authorisation<br>REACH-SVHC |                 | Liquid           | 1.333,0              | 20               |                    |           | D                               | -                         | D                              | B             |                  | ICLIP Terneuzen                                                         |                                        |                   |
|                      | Diesel                                                                           | 68334-30-5             | Een complexe combinatie van koolwaterstoffen geproduceerd door de distillatie van crude oil. Bestaande uit koolwaterstoffen met koolstof getallen overwiegend in de C10 tot C28 reeks. Kan ook kleine hoeveelheden gasolie toevoegingen bevatten. Kan vetzuurmethyl-esters (FAME) bevatten in overeenstemming met de vereisten van EN 14214.                                                                                                                                                                                                                                             |                                                | GH507 (Harmful), GH502 (Flammable), GH508 (Health Hazard) GH509 (Environmental Health) | H226 - Ontvlambare vloeistof en damp.<br>H332 - Schadelijk bij inademing.<br>H315 - Veroorzaakt huidirritatie.<br>H351 - Verdacht van het veroorzaken van kanker.<br>H304 - Kan dodelijk zijn als de stof bij inslikken in de luchtwegen terechtkomt.<br>H373 - Kan schade aan organen veroorzaken bij langdurige of herhaalde blootstelling. (bevrernng, lever, rhytauq)<br>H411 - Giftig voor in het water levende organismen, met langdurige gevolgen | P201 - Alvorens te gebruiken de speciale aanwijzingen raadplegen.<br>P280 - Draag beschermende handschoenen.<br>P280 - Draag oog- of gezichtsbescherming.<br>P280 - Draag beschermende kleding.<br>P210 - Verwijderd houden van warmte, hete oppervlakken, vonken, open vuur en andere ontstekingsbronnen. Niet roken.<br>P241 - Gebruik explosiebestendige elektrische, ventilatie-, verlichtings- en materiaalbehandelingsapparatuur.<br>P273 - Voorkom lozing in het milieu.<br>P260 - Damp niet inademen.<br>P304 + P340 - NA INADEMING: De persoon in de frisse lucht brengen en ervoor zorgen dat deze gemakkelijk kan ademen.<br>P301 + P310 + P331 - NA INSLUKKEN: Raadpleeg onmiddellijk een VERGIFTIGINGSCENTRUM of een arts.<br>GEEN braken opwekken.<br>P303 + P361 + P353 - BIJ CONTACT MET DE HUID (of het haar): Verontreinigde kleding onmiddellijk uittrekken. Spoel de huid af met water of neem een douche.<br>P332 + P313 - Bij huidirritatie: Raadpleeg een | 3              | 1202      | 3                |      |                                                                  |                                 |                       |                                                      |                 | Danger           | Liquid               |                  | 20                 |           | 170 tot 390                     |                           |                                |               |                  |                                                                         | Ook noodvoorraad in opslag             |                   |
|                      | Diethyleenglycolmonoethylether<br>Trimethylhexamethylenediamine                  | 111-90-0<br>25620-98-0 | two isomers of trimethyl-1,6-hexanediamine                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                | GH505 (Corrosive) + GH507 (harmful)                                                    | H302, H314, H317, H318, H412                                                                                                                                                                                                                                                                                                                                                                                                                             | P260, P261, P264, P270, P272, P27 3, P280, P301+312, P301+330+331 , P302+352, P303+361+353, P304+ 340, P305+351+338, P310, P321, P 330, P333+313, P363, P406, P501                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                | 2327      |                  |      |                                                                  | 80                              |                       |                                                      | Danger          | Liquid<br>Liquid | 19,0                 | 20<br>20         | 196-202<br>232     |           |                                 |                           |                                |               | Check            |                                                                         |                                        |                   |