

	A;vl	A;g	A;vl/A;g %	Voldoet 55%	A;e;perc;eis	A;vl	A;e;eis	A;e;tot	A;v;perc	Voldoet	H;peil	H;f	ε	D	A;t	LTA	α	β	A;d	C;b	C;u	Publicatie	Rekenmethode
_ woningen (Hoekwoning 1-2)																							
_ Hoekwoning 1-2	67,55	118,702	56,9	Ja																			
_ VG BG					10	35,23	3,52	4,63	13,13	Ja													
_ Woonkamer hoek (Woonkamer hoek)						35,23	0,5	4,63		Ja	0												
Ramen (Merk C) [3,720] {N}								1,16				0	90	0,4	2,235		35	22	1,738	0,67	1		Basismethode
Ramen (Merk B) [3,720] {Z}								1,73				0	90	0,4	2,966		20	22	2,247	0,77	1		Basismethode
Ramen (Merk B) [3,720] {W}								1,73				0	90	0,4	2,966		20	22	2,247	0,77	1		Basismethode
_ VG 2e 1 (VG 2e 1)					10	5,97	0,6	1,35	22,62	Ja													
_ Slaapkamer 3 ho						5,97	0,5	1,35		Ja	5,655												
Ramen (Merk E) [1,872] {Z}								0,68				0	90	0,4	1,221		20	22	0,877	0,77	1		Basismethode
Ramen (Merk E) [1,872] {W}								0,68				0	90	0,4	1,221		20	22	0,877	0,77	1		Basismethode
_ VG 1e 2					10	12,98	1,3	2,2	16,97	Ja													
_ slaapkamer 2 ho (slaapkamer 2 hoek)						12,98	0,5	2,2		Ja	2,755												
Ramen (Merk E) [1,872] {W}								0,68				0	90	0,4	1,221		20	22	0,877	0,77	1		Basismethode
Ramen (Merk A) [3,720] {N}								1,53				0,145	90	0,4	2,559		20	29	2,036	0,75	1		Basismethode
_ VG 1e 1					10	13,37	1,34	2,26	16,93	Ja													
_ Slaapkamer 1 ho (Slaapkamer 1						13,37	0,5	2,26		Ja	2,755												
Ramen (Merk E) [1,872] {W}								0,68				0	90	0,4	1,221		20	22	0,877	0,77	1		Basismethode
Ramen (Merk A) [3,720] {Z}								1,59				0,145	90	0,4	2,559		20	21	2,036	0,78	1		Basismethode
_ woningen (Alleen tussenwoning)																							
_ Tussenwoning	70,207	118,088	59,5	Ja																			
_ VG BG					10	32,7	3,27	3,27	10	Ja met krijtstrepen van 2,3m²													
_ Woonkamer (Woonkamer)						32,7	0,5	3,27		Ja	0												
Ramen (Merk C) [4,584] {N}								1,52				0	90	0,2	2,608		29	11	2,084	0,73	1		Basismethode
Ramen (Merk B) [4,693] {Z}								1,74				0	90	0,2	2,74		20	11	2,208	0,79	1		Basismethode
_ VG 2e					10	6,317	0,63	1,07	16,93	Ja													
_ Slaapkamer 3 (Slaapkamer 3)						6,317	0,5	1,07		Ja	5,655												
Dakraam (Merk D) [1,573] {N}								1,07				1,46	39	0,375	1,038		20		1,038	1,03	1		Basismethode
_ VG 1e 2 (VG 1e 2)					10	14,106	1,41	1,73	12,28	Ja													
_ Slaapkamer 2 tussen						14,106	0,5	1,73		Ja	2,755												
Ramen (Merk A) [3,078] {N}								1,73				0,85	90	0,2	2,193		20	14	2,193	0,79	1		Basismethode
_ VG 1e 1 (VG 1e 1)					10	14,784	1,48	1,73	11,72	Ja													
_ Slaapkamer 1 tussen						14,784	0,5	1,73		Ja	2,755												
Ramen (Merk A) [3,078] {Z}								1,73				0,85	90	0,2	2,193		20	14	2,193	0,79	1		Basismethode