



Gyproc Impact R GF 155 RD/2.50*50.2.AA



	 dB	 min	 I mm	 II mm	 mm	 mm	
GF 155 RD/2.50*50.2.AA 	64	60	4500	4000	6	155	Gyproc Impact R Systeemcode : GF 155 RD/2.50*50.2.AA Beplating : 2x Rigidur 12,5 Profielen : 2x GypFrame 50 Minerale wol : 2x 40 mm Isover glaswol

Contact gegevens
Saint-Gobain Gyproc

Stuartweg 1B
4131 NH Manen


T: 0347-325100
F: 0347-325125

W: www.Gyproc.nl
E: info@gyproc.nl

Scheidingswanden tussen
de kamers

Gyproc ECO D GF 100 ECO DGS/2.50.2.A



	 dB	 min	 I mm	 II mm	 mm	
GF 100 ECO DGS/2.50.2.A 	57	60	4000	3500	5	100
Gyproc ECO D Systeemcode : GF 100 ECO DGS/2.50.2.A Beplating : 1x DuraGyp Standaard 12,5 1x Gyproc A12,5 Profielen : 1x GypFrame 50 Minerale wol : 1x 40 mm Isover glaswol						

Contact gegevens
Saint-Gobain Gyproc

Stuartweg 1B
4131 NH Vianen


T: 0347-325100
F: 0347-325125

W: www.gyproc.nl
E: info@gyproc.nl

Gang wanden kamers

Gyproc Impact D GF 100 DGC/1.75.1.A



	 dB	 min	 I mm	 II mm	 mm	 mm	
GF 100 DGC/1.75.1.A 	49	30	4500	3750	3	100	Gyproc Impact D Systeemcode : GF 100 DGC/1.75.1.A Beplating : 1x DuraGyp Comfort 12,5 met ACTIV air Profielen : 1x GypFrame 75 Minerale wol : 1x 50 mm Isover glaswol

Contact gegevens
Saint-Gobain Gyproc

Stuartweg 1B
4131 NH Maren

T: 0347-325100
F: 0347-325125

W: www.Gyproc.nl
E: info@gyproc.nl

badkamer wanden