



# VOC Report

Monday, January 15, 2024

Reported by HEMPEL\SDE

Company: NL20\_C - Holland

Customer: NIEUWENHUIJSEN GEERTRUIDENBERG B.V. (12000034)

Date From: Sunday, January 01, 2023

Date To: Sunday, December 31, 2023

Ship To Name / Delivered Address	Product	Description	VOC (g/l)	S.G.	Litres	Solids Kg	VOCKg	Total KG	VOC % w/w	VOC % w/l	Solids (g/l)	Max allowed emission (g/l) (more)	Max allowed emission (g/l) (less)	Allowed emission KG (less)	Allowed emission KG (more)
NIEUWENHUIJSEN GEERTRUIDENBERG B.V. (12000034) Rivierkade 1 4931 AA Geertruidenberg %1 Geertruidenberg - NLD					9,235.00	7,668.66	4,232.46	11,901.11	35.56 %	45.83 %				2,873.82	4,598.11
	08080000000020	Hempel's Thinner 08080	870.0	0.870	560.00	0.00	487.20	487.20	100.00 %	87.00 %	0.0	0.00	0.00	0.00	0.00
	08450000000020	Hempel's Thinner 08450	856.8	0.857	840.00	0.84	719.04	719.88	99.98 %	85.68 %	0.2	0.08	0.12	0.06	0.10
	17879199900016	Hempadur Quattro XO 17879 Base	212.7	1.528	1,056.00	1,389.70	223.87	1,613.57	13.92 %	21.27 %	1,315.3	493.24	789.18	520.86	833.37
	45148121700015	Hempadur 45148 Base	337.9	1.374	270.00	279.99	90.99	370.98	24.59 %	33.79 %	1,036.1	388.54	621.66	104.91	167.85
	45755199900015	Hempadur Multi-Strength 45755 Base	238.7	1.784	165.00	255.09	39.27	294.36	13.38 %	23.87 %	1,545.3	579.49	927.18	95.62	152.98
	45889100000015	Hempadur Mastic 45889 Base	146.0	1.798	15.00	24.78	2.19	26.97	8.12 %	14.60 %	1,652.0	619.50	991.20	9.29	14.87
	45889899103,75	Hempadur Mastic 45889 Base	190.3	1.647	15.00	21.86	2.85	24.71	11.55 %	19.03 %	1,456.7	546.26	874.02	8.19	13.11



Unallow. VOC - consump. kg (more)	Unallow. VOC - consump. kg (less)
<b>-1,358.64</b>	<b>365.65</b>
-487.20	-487.20
-718.98	-718.94
296.99	609.50
13.92	76.86
56.35	113.71
7.10	12.68
5.34	10.26



Ship To Name / Delivered Address	Product	Description	VOC (g/l)	S.G.	Litres	Solids Kg	VOCKg	Total KG	VOC % w/w	VOC % w/l	Solids (g/l)	Max allowed emission (g/l) (more)	Max allowed emission (g/l) (less)	Allowed emission KG (less)	Allowed emission KG (more)
	45889899303,75	Hempadur Mastic 45889 Base	189.6	1.520	7.50	9.98	1.42	11.40	12.47 %	18.96 %	1,330.4	498.90	798.24	3.74	5.99
	46330199900020	Hempatex HI-Build 46330	511.6	1.299	2,640.00	2,080.32	1,349.04	3,429.36	39.38 %	51.16 %	787.4	295.28	472.44	779.53	1,247.24
	46330506300020	Hempatex HI-Build 46330	506.9	1.305	880.00	703.12	445.28	1,148.40	38.84 %	50.69 %	798.1	299.29	478.86	263.37	421.40
	46410899200020	Hempatex HI-Build 46410	513.3	1.185	40.00	26.88	20.52	47.40	43.32 %	51.33 %	671.7	251.89	403.02	10.08	16.12
	491872515017,5	Hempadur Tiecoat 49187 Base	418.2	1.400	385.00	378.07	160.93	539.00	29.87 %	41.82 %	981.8	368.18	589.08	141.75	226.80
	51570190000020	Hempel's Silvium	467.0	0.932	120.00	55.80	56.04	111.84	50.11 %	46.70 %	465.0	174.38	279.00	20.93	33.48
	55219899104,37	Hempathane Topcoat 55219 Base	457.6	1.189	30.59	22.39	13.98	36.37	38.49 %	45.76 %	731.4	274.28	438.84	8.39	13.42
	55219899304,37	Hempathane Topcoat 55219 Base	456.4	1.087	26.22	16.54	11.96	28.50	41.99 %	45.64 %	630.6	236.48	378.36	6.20	9.92
	78952199900020	Hempel's Antifouling Globic 9000 78952	370.5	1.888	440.00	667.92	162.80	830.72	19.62 %	37.05 %	1,517.5	569.06	910.50	250.39	400.62
	78952511100020	Hempel's Antifouling Globic 9000 78952	370.5	1.943	880.00	1,384.24	325.60	1,709.84	19.07 %	37.05 %	1,572.5	589.69	943.50	518.93	830.28
	95370000000,63	Hempel's Curing Agent 95370	268.5	1.070	8.19	6.57	2.19	8.76	25.09 %	26.85 %	801.5	300.56	480.90	2.46	3.94
	958700000X0004	Hempel's Curing Agent 95870	164.5	0.978	264.00	214.90	43.30	258.19	16.82 %	16.45 %	813.5	305.06	488.10	80.54	128.86
	95880000000005	Hempel's Curing Agent 95880	310.0	0.967	5.00	3.29	1.55	4.84	32.06 %	31.00 %	657.0	246.38	394.20	1.23	1.97
	95880000001,25	Hempel's Curing Agent 95880	310.0	0.967	7.50	4.93	2.33	7.25	32.06 %	31.00 %	657.0	246.38	394.20	1.85	2.96
	97430000000005	Hempel's Curing Agent 97430	459.2	0.931	90.00	42.48	41.31	83.79	49.32 %	45.92 %	471.8	176.93	283.08	15.92	25.48



Unallow. VOC - consump. kg (more)	Unallow. VOC - consump. kg (less)
2.32	4.57
-569.51	-101.80
-181.91	-23.88
-10.44	-4.40
-19.18	65.87
-35.12	-22.56
-5.59	-0.56
-5.76	-2.04
87.59	237.82
193.33	504.68
0.27	1.74
37.24	85.56
-0.32	0.42
-0.48	0.63
-25.39	-15.83



Ship To Name / Delivered Address	Product	Description	VOC (g/l)	S.G.	Litres	Solids Kg	VOCKg	Total KG	VOC % w/w	VOC % w/l	Solids (g/l)	Max allowed emission (g/l) (more)	Max allowed emission (g/l) (less)	Allowed emission KG (less)	Allowed emission KG (more)
	97652000000005	Hempel's Curing Agent 97652	304.7	0.995	35.00	24.19	10.64	34.83	30.62 %	30.47 %	690.3	258.86	414.18	9.06	14.50
	981910000002,5	Hempel's Curing Agent 98191	243.3	0.964	55.00	39.66	13.37	53.02	25.24 %	24.33 %	720.7	270.26	432.42	14.86	23.78
	98750000000005	Hempel's Curing Agent 98750	240.8	0.997	20.00	15.14	4.80	19.94	24.15 %	24.08 %	756.2	283.58	453.72	5.67	9.07
	PA10003				190.00	0.00	0.00	0.00	0.00 %	0.00 %	0.0	0.00	0.00	0.00	0.00
	PA10004				190.00	0.00	0.00	0.00	0.00 %	0.00 %	0.0	0.00	0.00	0.00	0.00
					<b>9,235.00</b>	<b>7,668.66</b>	<b>4,232.46</b>	<b>11,901.11</b>	<b>35.56 %</b>	<b>45.83 %</b>				<b>2,873.82</b>	<b>4,598.11</b>



Unallow. VOC - consump. kg (more)	Unallow. VOC - consump. kg (less)
-1.58	3.86
1.50	10.42
0.87	4.27
0.00	0.00
0.00	0.00
<b>-1,358.64</b>	<b>365.65</b>

